

CHARLES F. MARVIN, Chief

In Cooperation with Maryland State Weather Service

CLIMATOLOGICAL DATA

MARYLAND AND DELAWARE SECTION

ROSCOE NUNN, Meteorologist and Section Director

PRICE: 5 CENTS A COPY; 50 CENTS A YEAR

VOL. XXXIV BALTIMORE, MD., JUNE, 1929 No. 6

GENERAL SUMMARY

June, on the whole, was slightly cooler than normal. The 1st and 7th were warm. A warm period of unusual length, which was the impressive temperature factor of the month, prevailed from the 12th to the 25th, inclusive. Cool spells were 2d-6th, 8-11th, and 26-30th, the first spell being very cool. On the 4th freezing temperatures occurred in the Allegheny Mountain highlands and light frost formed over the western half of the section, and in the interior of the Eastern Shore.

The rainfall was light in western Maryland and over the extreme eastern portion of the section, embracing Cecil County, the State of Delaware, and Worcester County, but it was greatly in excess of normal between the two areas of deficiency. The first decade was dry, except for a cool, moderate to heavy north-east rain on the 8th. Thundershowers, in the afternoon or night, were unusually frequent from the 14th to the 28th, inclusive, especially in the central and eastern divisions. Some damage by hail, lightning, thundergusts, and heavy showers occurred locally during the third week.

Sunshine was abundant, while relative humidity was close to normal.

Rains were mostly of the thundershower type and varied greatly in amount within short distances. In western Maryland monthly totals were between 3 and 5 inches generally, and they were between 3 and 4 inches generally in Cecil County, in Delaware, and in Worcester County; between the two areas mentioned, totals varied from 4 to 8.5 inches. The greatest divisional average rainfall was about 6.5 inches in southern Maryland.

The month was favorable for plant growth and farming operations and both made excellent progress. During the first decade the strawberry season came to a close, transplanting of tomatoes, sweet potatoes, and tobacco was finished, and corn came up to good stands. The strawberry and pea crops were good. Early potatoes were being dug after the first decade and were yielding well. During the third decade harvesting of wheat, rye, and barley was in progress, and oats were heading in all divisions except western Maryland, and early tomatoes were blooming and fruiting and early apples were ripening in the southern half of the section. Corn made rapid growth during the two weeks of warm weather and overcame to a considerable degree its late start.—*J. B., jr.*

PRESSURE

The monthly mean sea-level pressure at Washington and Baltimore was 29.95; at Aberdeen, 29.96 inches. The highest at Washington was 30.16; at Baltimore, 30.13; at Aberdeen, 30.15 inches—all on the 17th. The lowest at Washington was 29.63; at Baltimore, 29.61; at Aberdeen, 29.64 inches—all on the 28th.

TEMPERATURE

The monthly mean for the section, 70.4°, is 0.5° below normal. The highest monthly mean was 73.3° at Baltimore; the lowest, 62.6°, at Grantsville. The highest temperature, 98°, occurred at Millington and Rock Hall on the 19th; the lowest, 31°, at Oakland on the 4th. The greatest local monthly range was 61° at Lutherville; the least, 41°, at Crisfield. The greatest daily range was 44° at Lutherville on the 11th.

PRECIPITATION

The monthly average for the section, 4.83 inches, is 0.90 inch above normal. The greatest monthly amount was 8.48 inches at Mechanicsville; the least, 1.89 inches, at Clear Spring. The greatest 24-hour amount was 3.66 inches at Mechanicsville on the 25-26th. The number of days with 0.01 inch or more, 10, is normal.

RELATIVE HUMIDITY

The average percentages were: Washington, D. C., 8 a. m., 74; 12 noon, 51; 8 p. m., 64. Baltimore, Md., 8 a. m., 67; 12 noon, 49; 8 p. m., 62. Aberdeen, Md., 8 a. m., 85; 4 p. m., 66. Philadelphia, Pa., 8 a. m., 74; 12 noon, 59; 8 p. m., 61.

WIND

(By 3-cup anemometer, except 4-cup at Aberdeen, Md.)

The prevailing wind direction for the section was southwest. The total movement at Washington was 3,186; at Baltimore, 6,186; at Aberdeen, 4,649 miles. The maximum velocity at Washington was 29 miles; at Baltimore, 42 miles—both from the southwest on the 14th; at Aberdeen, 38 miles from the north on the 19th.

SUNSHINE AND CLOUDINESS

At Washington and Baltimore, 67 per cent of the possible sunshine was recorded; at Aberdeen, 73 per cent. For the whole section the average number of clear days was 16; partly cloudy, 10; cloudy, 4.

MISCELLANEOUS PHENOMENA (WITH DATES)

Fog, light.—Aberdeen, 6, 7, 8, 9, 11, 15, 16, 17, 19, 21; Ferry Landing, 11; Newburg, 11, 16.

Fog, dense.—On coast, 21, 22, 24.

Hail, light.—Extreme southeastern Baltimore County, 17; Annapolis and Great Falls, 19; Friendsville, 22; Sines, 23.

Hail, moderate.—On 14th: Vicinity of Chewsville—size of pea; some damage to crops. On 17th: Anne Arundel County, north side of Severn River, from Jones Station to Naval Experimental Station on Chesapeake Bay—from northwest; 4:20 p. m.; path about $\frac{1}{2}$ mile wide; hailstones $\frac{1}{4}$ inch in diameter; fruit, tender vegetation, young plants, and flowers damaged; no estimate of money loss. Fallston—from northwest; 20 minutes' duration between 1 p. m. and 2:30 p. m.; path about $\frac{1}{2}$ mile by 2 miles; hailstones flat and larger than pea; no damage. On 19th: Northwestern Prince Georges County, Ammendale to Hyattsville—from northwest; 12:30 p. m. to 12:45 p. m.; path 3 to 4 miles wide; hailstones $\frac{1}{2}$ to $\frac{3}{4}$ inch diameter, round in shape; damage, principally to tomato plants, grapes, and peaches, estimated at several thousand dollars.

Mechanicsville.—Rainfall of 3 inches, in $1\frac{1}{2}$ hours, on 25th.

Princess Anne.—First locust heard on 30th.

Rainbow.—Aberdeen, 24; Baltimore, 5, 8.

Rainfall, 2.50 inches, or more, in 24 hours.—Cambridge, 3.56 on 25-26th; Coleman, 2.90 on 24th; Easton, 2.59 on 24-25th; Frostburg, 2.80 on 23d; Mechanicsville, 3.66 on 25-26th; Newburg, 2.94 on 25-26th; Pleasant Hill, 2.56 on 21st-22d; Westminster, 2.82 on 19-20th.

Thunderstorms.—5, 7, 8, 12, 14, 15, 17, 18, 19, 20, 21, 22, 23, 24, 25, 28.

Winds, high.—Thundergusts, night 14, 17, 19, 21, 28; from northeast, on southern Eastern Shore and on coast, 10; from northwest, 29.

Climatological Data for June, 1929

Stations	Counties	Elevation, feet	Length of record, years	Temperature, in degrees Fahr.						Precipitation, in inches				Number of days				Prevailing direction of wind	Observers	
				Mean	Departure from the normal	Highest	Date	Lowest	Date	Greatest daily range	Total	Departure from the normal	Greatest in 24 hours	Total snowfall (punctured)	With precip. 0.01 inch or more	Clear	Partly cloudy			Cloudy
<i>Maryland</i>																				
Aberdeen	Harford	80	11	70.6	0.0	94	19	43	4	35	4.24	+0.45	1.12	0.0	10	12	11	7	s.	U. S. Army.
Annapolis	Anne Arundel	45	64	72.1	-1.4	92	19	46	2	28	7.75	+3.51	2.40	0.0	14	13	10	7	se.	Louis E. Foster.
Baltimore*		115	59	73.3	+0.6	95	18	48	3	28	4.82	+0.94	0.99	0.0	11	13	11	6	sw.	U. S. Weather Bureau.
Bell II	Prince Georges	151	9	70.4		93	14	85	4	43	4.36		1.40	0.0	12	13	12	6	sw.	Bureau Plant Industry.
Boys	Montgomery	424	10	70.6	-0.4	95	18	36	4	43	4.00	+0.14	1.25	0.0	7	15	13	2	sw.	Thomas B. Daymude.
Cambridge (near)	Dorchester	25	36	72.2	-1.5	95	19	42	4	39	6.74	+2.96	3.56	0.0	9	18	6	6	sw.	Matt Harding.
Cecilton	Cecil	85	11	72.2	+0.5	95	19	42	4	37	2.87	-0.98	0.86	0.0	11	16	10	4	sw.	Wm. F. Coale.
Cheltenham	Prince Georges	230	29	70.8	-0.4	92	18	39	4	36	8.16	+3.66	2.30	0.0	11	14	10	6	sw.	Geo. Hartnell.
Cheswille	Washington	530	32	69.0	-0.5	92	18	35	4	37	4.38	+0.50	2.10	0.0	8	21	7	2	se.	D. Paul Oswald.
Clear Spring	do	600	32	70.4	+1.9	94	18	36	4	37	1.89	+2.17	0.60	0.0	8	21	7	2	sw.	Mrs. Leo A. Cobill.
Coleman II	Kent	30	32	72.2	+0.3	96	19	47	5	35	8.11	+4.46	2.30	0.0	9	18	8	4	sw.	Walter B. Harris.
College Park	Prince Georges	87	43	70.8	-0.5	93	18	36	4	41	7.09	+3.07	2.01	0.0	11	14	11	5	sw.	Prof. Thos. H. White.
Crisfield	Somerset	5	10	73.0	0.0	89	17	48	13	28	2.01	-1.57	0.75	0.0	8	15	10	6	sw.	A. B. Cochrane.
Cumberland	Allegany	623	57	70.7	+0.1	96	19	40	4	39	3.56	-0.52	1.05	0.0	10	19	8	3	sw.	Harvey H. Weiss.
Darlington	Harford	300	39	70.0	-0.1	94	19	40	4	42	4.65	+0.71	1.57	0.0	9	14	13	3	sw.	Fred. C. Jones.
Easton	Talbot	35	39	71.0	-0.4	93	19	40	4	37	5.75	+1.97	2.59	0.0	10	18	7	5	sw.	Clement E. Bray.
Elkton	Cecil	28	3	71.2		97	19	39	4	43	3.76		1.45	0.0	9	17	9	4	w.	H. W. Bouchelle.
Emmitsburg	Frederick	720	61	70.7	+0.6	96	19	44	4	39	4.29	+0.05	1.67	0.0	10	21	6	3	w.	Mt. St. Mary's College.
Fallston II	Harford	450	60	70.4	+0.8	93	19	42	4	35	6.85	+2.81	1.37	0.0	10	13	14	3	sw.	Miss Doris Curtiss.
Ferry Landing II	Calvert	110	13	70.6	-1.7	92	113	42	4	36	6.86	+3.26	2.03	0.0	12	14	11	5	sw.	Thos. J. Bourne.
Frederick	Frederick	275	55	72.8	+0.8	95	18	40	4	39	3.20	-1.16	0.98	0.0	7	20	8	2	sw.	A. T. Brust.
Friendville	Garrett	1,501	11	64.3	-0.8	90	22	33	4	38	3.56	-1.36	1.50	0.0	5	12	15	3	sw.	Joab J. Friend.
Frostburg	Allegany	1,929	28	66.2	-1.8	88	20	38	4	34	5.25	+0.28	2.80	0.0	6	19	9	2	w.	T. F. Lewis.
Grantsville	Garrett	2,351	36	62.6	-1.3	86	22	32	4	38	4.54	+0.13	1.43	0.0	10	11	17	2	w.	Floyd J. Miller.
Great Falls II	Montgomery	200	40	71.4	+0.2	94	113	38	4	41	5.81	+2.04	1.47	0.0	14	12	14	4	sw.	Chas. E. Sullivan.
Hancock (Tonoloway)	Washington	455	19	69.0	-2.6	94	19	36	4	42	4.24	-0.17	1.10	0.0	10	21	7	2	sw.	American Fruit Growers.
Keedysville	do	400	25	71.7	+0.3	94	18	38	4	40	3.13	-0.91	1.01	0.0	6	21	7	2	s.	J. A. Miller.
Laurel	Prince Georges	320	35	70.2	-0.7	94	19	43	4	32	6.53	+2.43	1.83	0.0	11	13	12	5	sw.	Evan G. Chaney.
Lutherville	Baltimore	340	3	69.3		96	19	35	4	44	6.05		1.48	0.0	10	18	8	4	sw.	August W. Clark, P. M.
Maryland Line	do	840	6	69.2		94	19	42	3	37	4.71		1.20	0.0	10	18	9	3	w.	Chester L. Fulton.
Mechanicsville	St. Marys	165	3								8.48		3.66	0.0	13	14	8	6	sw.	Zach. S. Graves.
Millington	Kent	110	32	71.6	+0.3	95	19	39	4	37	4.26	+0.47	0.97	0.0	10	17	9	4	sw.	Henry L. Higman.
Newburg	Charles	2,461	30	63.2	-0.5	88	113	44	13	31	5.97	-1.72	2.94	0.0	12	13	9	8	sw.	John P. Burdette.
Oakland	Allegany	900	3	68.4		98	19	37	4	36	3.12		1.03	0.0	7	21	6	3	w.	R. E. Weber.
Pleasant Hill II	Baltimore	660	5								5.64		2.56	0.0	8	17	9	4	sw.	D. E. Catlett.
Pocomoke City	Worcester	37	24								3.12	-0.55	1.15	0.0	8	11	14	5	sw.	J. E. Henry.
Princess Anne	Somerset	17	54	71.2	0.0	98	20	40	4	35	5.07	+1.32	1.51	0.0	9	12	14	4	sw.	Wm. H. Dryden.
Public Landing II	Worcester	10	14	71.6	+0.5	92	19	41	4	32	4.37	+1.54	1.59	0.0	7	14	10	6	s.	James R. Stewart.
Ridgely	Caroline	57	8	72.1	+0.4	97	19	40	4	37	4.59	+0.76	1.25	0.0	11	16	10	4	sw.	Louis C. de Guibert.
Rock Hall	Kent	25	15	72.6	-0.6	98	19	45	4	40	5.90	+2.48	1.60	0.0	10	17	9	4	sw.	Albert White.
Salisbury	Wicomico	23	24	72.3	+0.1	91	19	44	4	32	7.14	+3.39	2.20	0.0	10	17	7	6	s.	Charles Judefind.
Sines (Deep Creek)	Garrett	2,040	2	64.9		90	22	37	4	37	2.98		1.00	0.0	8	10	17	3	sw.	Homestead Dairy Farms.
Solomons	Calvert	20	38	72.2	-1.3	92	113	47	8	27	2.88	-0.36	0.90	0.0	12	10	11	9	se.	C. E. Mac Murray.
State Sanatorium	Frederick	1,460	21	69.4	-0.3	91	19	41	3	32	6.66	+1.97	2.25	0.0	10	21	6	3	sw.	Dr. W. H. Marsh.
Stevensville	Queen Annes	12	3	71.2		95	19	44	4	30	3.58		0.86	0.0	9	17	8	5	sw.	Dr. V. F. Cullen.
Takoma	Montgomery	320	31	70.6	+0.3	90	14	45	4	27	6.09	+1.93	1.40	0.0	11	10	12	8	sw.	T. R. Price.
Towson	Baltimore	465	17								5.95	+2.52	1.60	0.0	10	13	11	6	sw.	L. M. Mooers.
Western Port	Allegany	1,000	36	69.0	-0.5	95	19	36	4	41	3.80	-0.11	1.47	0.0	7				sw.	Metropolitan District.
Westminster	Carroll	770	20	70.2	-1.2	95	18	38	4	35	6.22	+3.06	2.82	0.0	9	20	8	2	sw.	Norris Bruce.
Woodstock	Baltimore	415	59	70.4	-0.6	95	19	37	4	39	4.43	+0.64	1.50	0.0	10	19	9	2	w.	Prof. S. P. Caltrider.
<i>Dist. of Columbia</i>																				
Washington**		112	59	72.2	0.0	93	14	46	4	34	7.41	+3.28	1.82	0.0	14	10	12	8	s.	U. S. Weather Bureau.
<i>Delaware</i>																				
Bridgeville	Sussex	45	6	72.0	+0.7	97	19	42	4	37	4.22	+0.47	2.11	0.0	9	16	8	6	sw.	George Ray.
Delaware City	New Castle	12	43	71.0	-1.1	97	19	43	4	33	3.40	-0.46	0.90	0.0	9	17	9	4	s.	James E. Maden.
Dover	Kent	34	40	72.2	-0.3	97	19	46	4	37	3.39	-0.17	1.10	0.0	9	17	8	5	sw.	Arthur G. Livingston.
Milford	Sussex	20	47	71.9	-0.2	96	18	41	4	36	2.72	-0.97	0.79	0.0	9	13	12	5	sw.	Chas. J. Holzmueller.
Millsboro	do	20	37	71.6	+0.3	97	19	41	4	39	3.55	-0.18	0.66	0.0	8	13	11	6	s.	Rev. M. P. S. Huntington.
Wilmington	New Castle	86	36	70.6	-1.2	93	19	44	13	30	3.08	-0.81	1.09	0.0	10	17	9	4	w.	Street and Water Depts.
<i>Means and extremes:</i>																				
For Maryland and District of Columbia				70.2	-0.5	98	19	31	4	44	5.00	+1.04	3.66	0.0	10	16	10	4	sw.	
For Delaware				71.6	-0.2	97	19	41	4	39	3.38	-0.36	2.11	0.0	9	16	10	4	sw.	
For entire section				70.4	-0.5	98	19	31	4	44	4.83	+0.90	3.66	0.0	10	16	10	4	sw.	

The departures from normal temperature and precipitation are computed only for such stations as have 10 or more years of record, but all complete reports are used in determining section or division means. Data in italics determined from surrounding sections. T. Precipitation is less than 0.01 inch rain or melted snow. Reference letters, a, b, c, appearing in the table indicate number of days missing: For example, b represents two days, etc. † Post office addresses of these stations are as follows: Of Bell, Glendale; of Coleman, Worton; of Fallston, Bagley; of Ferry Landing, Owings; of Great Falls, Bethesda; of Pleasant Hill, Owings Mills; of Public Landing, Snow Hill. ‡ Also on other dates. *Custom House, Gay and Water Streets. **Weather Bureau Building, 24th and M Streets.

Daily Precipitation for June, 1929

Stations	Watersheds	Day of month																														Total				
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		31			
<i>Maryland</i>																																				
Aberdeen**	Atlantic					T.	.04	.71						.04	.20					.21		.34		.69	.92	.50					.59			4.24		
Annapolis	do						.76	.04						.01	.65	.04				2.40		1.70	.06	.78		.08	.28	.26		.69			7.75			
Baltimore***	do					.17	T.	.80						.04	.23	.01					.96	.77	.67	.01		.82	.26		.69			4.82				
Bell	do			T.			.57	.08						T.	.28	.13					.03	.42	.12	.40	T.	.05	.19	.17	.92			4.36				
Boys	do			T.			.66							T.	.36							.20	T.	.20	T.	.13	1.20	T.	.25			4.00				
Cambridge (near)	do			T.			.77	.40							.51								.35	T.	.88	2.68		1.16				6.74				
Cecilton	do				.04		.09	.12	.80					T.	.11	.09						.35	T.	.20	T.	.05	.21		.86			2.87				
Cheltenham	do						.12	1.62	T.	1.14					.29	.10						2.30	T.	.78	T.	.12	1.14	.87		.88			8.16			
Chewsville	do							1.17						.01	.98	.12						.13	T.	T.	T.	.04	.56	T.		.98			4.98			
Clear Spring	do							.50						.06	.31	.28							.30	T.	.17	.07		.10				1.89				
Coleman	do							1.23							.26	.07	.10					.44		1.95	1.72	.90	.16	.10		.90			8.11			
College Park	do							.80	.07						.60						1.20	.09	.18	2.01	T.	.20	.68	.18	1.14			7.09				
Crisfield	do				.11		.01	T.	.02	.75	.25				T.								T.				.40	T.		.33			2.01			
Cumberland	do		.42					.78	.27					.02	.15								T.	.37	.87		.18		.01	.52			3.56			
Darlington	do							.63							.32								.80		.48	T.	.10	.33	.10	.32			4.65			
Easton	do							.85	.03						.10	.14							.20		.05	T.	2.59	.95		.88			5.75			
Elkton	do							.65							.41								1.45		.04	.17	.03	.38		.68			8.76			
Emmitsburg	do							.85							.18	.20							.66	*	.15	T.	1.67	.09	.15	.40			4.29			
Fallston	do							.62							.06	1.31					1.19		.20		.15	T.	.74	.86	.18	.91			6.85			
Ferry Landing	do							.09	.04	1.04	T.				1.59						.09		.82	.81	.04	.03	2.00	.36	.45				6.86			
Frederick	do							.63							.02	.82							.14	T.	T.	.17	.96	T.	.46				3.20			
Friendsville	Ohio							1.50							T.	T.							.80	.28	T.	.70		.78					8.56			
Frostburg	Atlantic							1.20							T.	T.									1.00	1.80	.80		.76				5.25			
Grantsville	Ohio							.23	1.12						T.	T.							.14	.19		.07	.08	.54	.37	.44		1.43	T.	4.64		
Great Falls	Atlantic							.07		.61	.24				T.	T.	.64	.04					.18	.04	T.	.03	1.47	1.06	.08		.75		.69	5.81		
Hancock (Tonoloway)	do							1.10							.29	.65	.15						.32		.21	.04	.78	*		.75			4.24			
Keedysville	do							.99							.84	.17							.18	T.	T.	T.	.38	T.	.57			T.	3.13			
Laurel	do							.83							T.	.37						.08	.87	.10	1.83	.10	.20	.91	.04	1.20			6.53			
Lutherville	do							.73							T.	.97							.16		1.48	*	1.59	.06	.09	.81	1.06			6.05		
Maryland Line	do							.17	.80						T.	.44							1.08	.05	1.20	.05	.12	.20	.60				4.71			
Mechanicsville	do							.20	.13	*	.24				T.	1.98							.14		.88	T.	.26	3.00	.66	.03	.84			8.48		
Millington	do							.23	.81						T.	.12	.04						.95		.97	T.	.08	.07	.37	.62			4.26			
Newburg	do				.09		.02	T.	.34	.27					.84	.37								.28	T.	.06	2.25	.69	.01	.75				5.97		
Oakland	Ohio							.72							T.	.72							.08		T.	.96	.05	.57	.04	.54				2.96		
Pleasant Hill	Atlantic							.81							T.	.07								.41	.07				.81				3.12			
Pocomoke City	do							.68							T.	.72								.70	.05	2.66		.14	1.03	.05				5.64		
Princess Anne	do				.12			.15	.67	.40					T.	.26									.08	T.	T.	T.	.15			.60		6.07		
Public Landing	do				.07			T.	1.51	.40	.49	.12			T.	.26											.05	1.23		.94				4.87		
Rock Hall	do							.08	.43	.57	.50				T.	.06	.18								.20	.18	.42	1.25	.38	.72				4.59		
Rock Hall	do							.05	.53	T.					T.	.06	.18								1.60	1.16	.32	.11	.16	.40				5.90		
Salisbury	do							.47	.64						T.	.15									.01			.50	2.20		1.90			7.14		
Sines**	Ohio			.02				.08	.89	.45	.10				T.	.15										.40	.55	.29		1.00				2.98		
Solomons	Atlantic			.08			.01	T.	.67	.18					.13	.42						.03	T.	.02		.12	T.	.20	.90	.52				2.88		
State Sanatorium	do							.67							.12	*									1.76	.24	T.	2.25	.80	T.	.60			6.66		
Stevensville	do							.50	T.						T.	.18									.56	T.	.16	T.	.02	.61	.86	T.	.69		8.58	
Takoma	do							.65	.05	T.					T.	.37	.05								.55	1.7	1.40	T.	*	.95	.80	T.	1.10		6.09	
Towson	do							.82							T.	.50									1.60	.20	1.80		.10	.14	.25	T.	.94		5.95	
Western Port	do							1.10							T.	.01									.03		.12	1.47	.35		.72			3.80		
Westminster	do							1.10							T.	.38									2.82	.28	.59		1.15	.28	.18	.44			6.22	
Woodstock	do						.10	1.00							T.	.40									.08	.08	1.20		.25	.12	.80			4.48		
<i>District of Columbia</i>																																				
Washington***	Atlantic			.02		.07		.31	.20	.09				T.	.55	.36									.62	.04	T.	1.82	.04	1.37	1.07	T.	.95		T.	7.41
<i>Delaware</i>																																				
Bridgeville	Atlantic							.38	T.	T.					T.	T.									.75	.11		.17	.10	.02	.82	1.29		.58		4.22
Delaware City	do							.10	.60						T.	.50	T.								.50	.05	.05	T.	T.	.10	.90		.60	T.	3.40	
Dover	do							.27	.55						*	.51	T.								.20		.06	1.10		.60	T.				3.39	
Millford	do							.12	.59	T.	.03				T.	.03									.70	.09	.03	T.	T.	.59		.55	.02		2.72	
Millsboro	do			.08				.12	.81	.85	.08				T.	.26									.01	T.	T.	T.	T.	.86		.65			3.55	
Wilmington	do							.18	1.09		.08				T.	.19	T.								.24	.08	.09	T.	T.	.31	.36	.48			3.03	

Except as otherwise indicated, observations are generally made late in afternoon, near sunset, and precipitation recorded is for the 24 hours ending at time of observation. **Regular Weather Bureau station; precipitation is for the 24-hour period, midnight to midnight. ***Precipitation is for 24-hour period, midnight to midnight. |||Precipitation measured in the morning; amount then recorded is for the preceding 24 hours. *Precipitation included in the next following measurement. T. Trace, or less than 0.01 inch. Data in italics determined from surrounding stations.

COMPARATIVE DATA FOR MARYLAND AND DELAWARE FOR JUNE

Year	Temperature				Precipitation						Number of days with .01 inch or more	Year	Temperature				Precipitation						Number of days with .01 inch or more
	Mean	Departure from the normal	Highest	Lowest	Average	Departure from the normal	Greatest local	Least local	Greatest in 24 hours	Snowfall			Mean	Departure from the normal	Highest	Lowest	Average	Departure from the normal	Greatest local	Least local	Greatest in 24 hours	Snowfall	
1895	73.2	+2.3	102	37	3.92	-0.01	7.86	0.75	2.20	0.0	8	1913	71.2	+0.3	100	27	2.27	-1.66	5.06	0.78	2.55	0.0	7
1896	65.6	-5.1	96	31	3.20	-0.73	6.44	0.87	2.70	0.0	10	1914	72.3	+1.4	101	2							

Daily Temperatures for June, 1929

Table with columns for Stations, days 1-31, and Mean. Rows list various locations in Maryland and Delaware, including Annapolis, Baltimore, and Washington, D.C., with their respective maximum and minimum temperatures for each day.

a, b, c, etc., indicate, respectively, 1, 2, 3, etc., days missing from record. § Instruments are read in morning; maximum temperature then read is charged to preceding day. In which it almost always occurs. Temperatures at Aberdeen, Baltimore, and Washington are from midnight to midnight; for other stations, except Cumberland, are for 24-hour period ending late in afternoon, near sunset. Data in italics determined from surrounding stations. (WB-7-31-29-820)