

1995

LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA




ISSN 0198-1145

WILMINGTON,
DELAWARE (ILG)

Daily Data


Fahrenheit

Celsius




Inches

Millimeters



Miles Per Hour

Meters Per Second



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION,
AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA, CLIMATIC DATA CENTER
AND INFORMATION SERVICE ASHEVILLE, NORTH CAROLINA

Kenneth D. Haden
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 1995

WILMINGTON, DE (ILG)

LATITUDE: 39° 40' 42" N LONGITUDE: 75° 36' 25" W ELEVATION (FT): GRND: 74 BARO: 96 TIME ZONE: EASTERN (UTC+05) WBAN: 13781

	ELEMENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE ° F	MEAN DAILY MAXIMUM	43.6	38.6	55.9	62.6	72.7	81.4	88.5	87.4	78.2	70.4	49.8	37.9	63.9
	HIGHEST DAILY MAXIMUM	66	53	73	84	87	93	99	96	92	84	72	57	99
	DATE OF OCCURRENCE	14	19	16	19	25	20	15	4	1	6	3	3	JUL 15
	MEAN DAILY MINIMUM	29.6	22.0	34.8	40.4	51.7	62.7	69.0	66.8	58.3	48.3	32.9	24.7	45.1
	LOWEST DAILY MINIMUM	13	4	19	24	39	56	57	57	46	38	24	13	4
	DATE OF OCCURRENCE	5	6	10	5	7	15	9	23	24	30	30	10	FEB 6
	AVERAGE DRY BULB	36.6	30.3	45.3	51.5	62.2	72.0	78.7	77.1	68.2	59.3	41.3	31.3	54.5
	MEAN WET BULB	33.4	27.5	39.5	44.9	56.6	66.3	72.1	68.7	61.2	54.7	37.8	27.8	49.2
	MEAN DEW POINT	27.0	19.6	31.7	35.9	51.7	63.1	68.8	63.9	56.6	50.4	31.6	20.2	43.4
	NUMBER OF DAYS WITH:													
	MAXIMUM ≥ 90°	0	0	0	0	0	2	13	14	3	0	0	0	32
	MAXIMUM ≤ 32°	4	8	0	0	0	0	0	0	0	0	0	9	21
	MINIMUM ≤ 32°	20	24	9	5	0	0	0	0	0	0	18	27	103
	MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0
H/C	HEATING DEGREE DAYS	875	967	598	401	122	0	0	0	41	208	703	1033	4948
	COOLING DEGREE DAYS	0	0	0	4	42	218	434	381	148	39	1	0	1267
RH	MEAN (PERCENT)	71	66	65	58	72	77	75	67	71	75	70	65	69
	HOURLY 04 LST	76	74	77	71	90	91	91	82	85	88	79	69	81
	HOURLY 10 LST	70	65	62	52	63	71	69	62	63	70	67	65	65
	HOURLY 16 LST	59	56	47	46	57	64	58	51	55	57	59	57	56
	HOURLY 22 LST	74	67	67	64	79	82	79	74	79	82	73	66	74
S	PERCENT POSSIBLE SUNSHINE													
W/O	NUMBER OF DAYS WITH:													
	HEAVY FOG(VISBY ≤ 1/4 MI)	7	2	5	3	2	0	1	1	3	2	1	2	29
CLOUDINESS	THUNDERSTORMS	1	0	0	3	1	3	4	3	3	2	1	0	21
	SUNRISE-SUNSET: (TENTHS)													
	CEILOMETER (≤ 12,000 FT.)		4	3	3		4	2	2	4	3		3	
	SATELLITE (> 12,000 FT.)													
	MIDNIGHT-MIDNIGHT: (TENTHS)													
	CEILOMETER (≤ 12,000 FT.)		4		4		5	2	2		3			
	SATELLITE (> 12,000 FT.)													
PR	NUMBER OF DAYS WITH:													
	CLEAR							3	7	5	9		5	
	PARTLY CLOUDY							1	4	3	2		2	
	CLOUDY								2	7	3		8	
PR	MEAN STATION PRESS. (IN.)	29.94	29.93	30.02	29.88	29.87	29.91	29.89	29.92	30.01	29.94	29.97	29.99	29.94
	MEAN SEA-LEVEL PRESS. (IN.)	30.03	30.01	30.10	29.97	29.95	30.00	29.97	30.00	30.09	30.03	30.05	30.08	30.02
WINDS	RESULTANT SPEED (MPH)	4.1	5.7	3.4	2.9	1.8	1.4	2.6	0.8	1.2	2.6	3.8	6.8	2.4
	RES. DIR. (TENS OF DEGS.)	29	29	32	29	28	9	23	6	3	24	28	30	29
	MEAN SPEED (MPH)	9.6	9.8	9.1	9.4	8.3	7.8	6.9	7.2	7.4	7.3	9.2	9.7	8.5
	PREVAIL. DIR. (TENS OF DEGS.)	29	30	16	29	30	15	15	16	36	24	31	31	29
	MAXIMUM 2-MINUTE WIND:													
	SPEED (MPH)	30	38	32	46	26	24	45	33	26	36	40	34	46
	DIR. (TENS OF DEGS.)	29	29	30	33	33	36	32	28	32	29	29	31	33
	DATE OF OCCURRENCE	2	5	9	9	6	12	16	4	22+	29	11	26	APR 9
	MAXIMUM 5-SECOND WIND:													
	SPEED (MPH)	37	48	37	53	33	29	55	38	30	41	47	40	55
PRECIPITATION	DIR. (TENS OF DEGS.)	28	30	30	33	33	01	32	28	32	29	30	32	32
	DATE OF OCCURRENCE	2	5	9	9	6	12	16	4	22+	29	11	26	JUL 16
	WATER EQUIVALENT:													
	TOTAL (IN.)	3.08	2.28	2.47	2.10	3.50	1.26	2.89	2.03	5.17	8.01	4.31	2.17	39.27
	GREATEST 24-HOUR (IN.)	1.39	0.87	1.80	0.72	0.68	0.29	1.36	1.24	1.74	2.57	1.34	0.79	2.57
SNOWFALL	DATE OF OCCURRENCE	20	03-04	08-09	12-13	10	26	16	06-07	16-17	14-15	11-12	19-20	OCT 14-15
	NUMBER OF DAYS WITH:													
	PRECIPITATION ≥ 0.01	9	10	6	9	14	10	11	6	10	8	14	9	116
	PRECIPITATION ≥ 0.10	4	4	2	5	9	5	6	4	7	7	8	4	65
	PRECIPITATION ≥ 1.00	2	0	1	0	0	0	1	1	3	4	2	0	14
SNOWFALL	SNOW, ICE PELLETS, HAIL:													
	TOTAL (IN.)	T	8.3	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	7.1	18.6
	GREATEST 24-HOUR (IN.)	T	7.5	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.3	7.5
	DATE OF OCCURRENCE	21+	03-04	03-04								29	09	FEB 03-04
	MAXIMUM SNOW DEPTH (IN.)	0	7	T	0	0	0	0	0	0	0	3	2	7
	DATE OF OCCURRENCE		04	04								29	26+	FEB 04
	NUMBER OF DAYS WITH:													
	SNOWFALL ≥ 1.0	0	1	0	0	0	0	0	0	0	0	1	2	4

NORMALS, MEANS, AND EXTREMES FOR 1995

WILMINGTON, DE (ILG)

LATITUDE: 39° 40' 42" N LONGITUDE: 75° 36' 25" W ELEVATION (FT): 74 TIME ZONE: EASTERN (UTC+05) WBAN: 13781
GRND: 74 BARO: 96

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	38.7	41.9	52.1	62.6	72.9	81.4	85.6	84.1	77.7	66.6	55.5	43.9	63.6
	MEAN DAILY MAXIMUM	39	39.0	41.8	51.5	63.1	73.0	81.6	85.7	84.1	77.6	66.4	55.4	43.7	63.6
	HIGHEST DAILY MAXIMUM	48	75	78	86	94	95	100	102	101	100	91	85	74	102
	YEAR OF OCCURRENCE		1950	1985	1948	1985	1962	1994	1966	1955	1983	1951	1950	1984	JUL 1966
	MEAN OF EXTREME MAXS.	48	59.4	61.7	73.0	82.4	88.0	93.3	95.6	93.4	90.4	81.8	72.8	63.5	79.6
	NORMAL DAILY MINIMUM	30	22.4	24.8	33.1	41.8	52.2	61.6	67.1	65.9	58.2	45.7	37.0	27.6	44.8
	MEAN DAILY MINIMUM	39	22.9	24.8	32.8	42.0	52.1	61.6	67.1	65.6	58.1	45.7	36.9	27.4	44.8
	LOWEST DAILY MINIMUM	48	-14	-6	2	18	30	41	48	43	36	24	14	-7	-14
	YEAR OF OCCURRENCE		1985	1979	1984	1982	1978	1972	1988	1982	1974	1976	1955	1983	JAN 1985
	MEAN OF EXTREME MINS.	48	6.5	8.8	17.8	28.7	38.6	48.9	55.9	53.1	42.5	31.6	22.1	12.0	30.5
	NORMAL DRY BULB	30	30.6	33.4	42.7	52.2	62.5	71.5	76.4	75.0	68.0	56.2	46.3	35.8	54.2
	MEAN DRY BULB	48	31.7	33.8	42.1	52.6	62.4	71.5	76.4	74.7	67.5	56.4	45.9	35.7	54.2
	MEAN WET BULB	44	28.7	30.3	37.1	46.0	55.7	64.2	68.8	67.8	61.6	51.3	41.5	32.4	48.8
	MEAN DEW POINT	44	22.0	23.0	29.2	38.6	50.2	59.8	64.8	64.2	57.7	47.5	35.8	26.1	43.2
	NORMAL NO. DAYS WITH:														
	MAXIMUM ≥ 90°	30	0.0	0.0	0.0	0.2	0.7	3.3	7.6	4.9	1.9	0.0	0.0	0.0	18.6
	MAXIMUM ≤ 32°	30	8.8	5.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.9	18.4
	MINIMUM ≤ 32°	30	26.0	22.0	14.5	3.3	0.1	0.0	0.0	0.0	0.0	1.9	9.6	22.2	99.6
	MINIMUM ≤ 0°	30	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0
H/C	NORMAL HEATING DEG. DAYS	30	1066	885	691	384	122	0	0	0	35	288	561	905	4937
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	44	199	353	310	125	15	0	0	1046
RH	NORMAL (PERCENT)	30	68	65	62	62	67	68	70	72	72	71	69	69	68
	HOURLY 01 LST	30	72	71	70	71	77	80	81	83	83	81	76	74	77
	HOURLY 07 LST	30	74	74	73	72	75	77	79	83	84	84	80	76	78
	HOURLY 13 LST	30	59	56	51	49	53	54	54	56	56	54	56	59	55
	HOURLY 19 LST	30	66	63	60	57	62	63	64	68	70	69	68	68	65
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISIBY ≤ 1/4 MI)	48	4.1	3.4	2.9	2.1	2.2	1.7	1.6	2.3	2.4	4.0	3.4	3.6	33.7
	THUNDERSTORMS	48	0.2	0.3	1.1	2.2	4.2	5.6	6.4	5.6	2.4	0.9	0.6	0.2	29.7
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (TENTHS)	0													
	MIDNIGHT-MIDNIGHT (TENTHS)	0													
	MEAN NO. DAYS WITH:														
	CLEAR	0							3.0	7.0	5.0	9.0		5.0	
	PARTLY CLOUDY	0							1.0	4.0	3.0	2.0		2.0	
	CLOUDY	0								2.0	7.0	3.0		8.0	
PR	MEAN STATION PRESSURE (IN.)	23	30.00	30.00	29.94	29.90	29.90	29.90	29.92	29.96	30.00	30.02	30.02	30.02	29.96
	MEAN SEA-LEVEL PRES. (IN.)	44	30.08	30.07	30.02	29.99	30.00	29.98	30.00	30.02	30.08	30.10	30.07	30.10	30.04
WINDS	MEAN SPEED (MPH)	32	10.0	10.7	11.2	10.7	9.1	8.5	8.0	7.7	8.1	8.6	9.4	9.6	9.3
	PREVAIL. DIR. (TENS OF DEGS.)	32	30	30	31	30	30	18	18	18	30	31	31	30	30
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	1	30	38	32	46	26	24	45	33	26	36	40	34	46
	DIR. (TENS OF DEGS.)	1	29	29	30	33	33	36	32	28	32	29	29	31	33
	YEAR OF OCCURRENCE		1995	1995	1995	1995	1995	1995	1995	1995	1995	1995	1995	1995	APR 1995
	MAXIMUM 5-SECOND:														
	SPEED (MPH)	1	37	48	37	53	33	29	55	38	30	41	47	40	55
	DIR. (TENS OF DEGS.)	1	28	30	30	33	33	01	32	28	32	29	30	32	32
	YEAR OF OCCURRENCE		1995	1995	1995	1995	1995	1995	1995	1995	1995	1995	1995	1995	JUL 1995
PRECIPITATION	NORMAL TOTAL (IN.)	30	3.03	2.91	3.43	3.39	3.84	3.55	4.23	3.40	3.43	2.88	3.27	3.48	40.84
	MAXIMUM TOTAL (IN.)	48	8.41	7.02	7.50	6.80	7.38	7.49	12.63	12.09	9.53	8.01	7.84	7.90	12.63
	YEAR OF OCCURRENCE		1978	1979	1993	1983	1983	1972	1989	1955	1960	1995	1972	1969	JUL 1989
	MINIMUM TOTAL (IN.)	48	0.52	0.83	0.81	0.35	0.22	0.21	0.16	0.25	0.82	0.21	0.49	0.19	0.16
	YEAR OF OCCURRENCE		1981	1980	1966	1985	1964	1988	1955	1972	1970	1963	1976	1955	JUL 1955
	MAXIMUM IN 24 HOURS (IN.)	48	2.12	2.29	3.11	2.56	2.72	4.35	6.83	4.11	5.62	3.88	3.83	2.33	6.83
	YEAR OF OCCURRENCE		1978	1966	1978	1961	1990	1972	1989	1971	1960	1966	1956	1992	JUL 1989
	NORMAL NO. DAYS WITH:														
	PRECIPITATION ≥ 0.01	30	10.3	9.5	9.9	10.6	11.2	9.8	9.1	8.8	7.8	7.3	9.4	9.8	113.5
	PRECIPITATION ≥ 1.00	30	0.7	0.6	1.0	0.7	0.9	0.8	1.2	0.9	1.1	0.7	0.8	1.0	10.4
SNOWFALL	NORMAL TOTAL (IN.)	30	7.6	6.9	2.4	0.3	T	0.0	0.0	0.0	0.0	0.*	0.7	3.4	21.3
	MAXIMUM TOTAL (IN.)	48	21.4	27.5	20.3	2.6	T	T	T	0.0	0.0	0.0	2.5	11.9	27.5
	YEAR OF OCCURRENCE		1987	1979	1958	1982	1991	1992	1990				1979	1953	FEB 1979
	MAXIMUM IN 24 HOURS (IN.)	48	12.1	16.5	15.6	2.4	T	T	T	0.0	0.0	2.5	11.9	12.4	16.5
	YEAR OF OCCURRENCE		1987	1979	1958	1987	1991	1992	1990			1979	1953	1966	FEB 1979
	MAXIMUM SNOW DEPTH (IN.)	44	13	20	8	2	0	0	0	0	0	T	9	12	20
	YEAR OF OCCURRENCE		1987	1979	1956	1987						1962	1953	1966	FEB 1979
	NORMAL NO. DAYS WITH:														
	SNOWFALL ≥ 1.0	30	2.3	1.7	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	6.1

PRECIPITATION (inches) 1995 WILMINGTON, DELAWARE (ILG)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1966	2.82	4.90	0.81	3.16	3.35	0.70	3.09	1.42	8.53	5.17	1.75	3.81	39.51
1967	1.67	1.90	5.45	2.69	3.79	3.01	4.45	11.16	1.16	2.05	2.08	5.24	44.65
1968	2.29	1.52	4.75	1.57	4.78	2.81	1.83	1.17	1.50	3.28	3.92	2.33	31.75
1969	1.68	1.76	1.71	1.58	3.21	3.62	6.48	2.34	6.84	1.47	1.79	7.90	40.38
1970	1.00	2.13	3.61	5.56	0.94	6.16	6.03	2.31	0.82	2.64	4.09	3.02	38.31
1971	2.22	6.29	2.29	2.15	4.51	2.50	3.65	8.38	6.99	6.41	5.52	1.33	52.24
1972	2.50	5.43	2.40	4.47	3.85	7.49	2.07	0.25	1.64	4.20	7.84	5.99	48.13
1973	3.81	3.42	4.02	6.57	5.56	5.19	2.82	2.44	3.02	2.22	0.67	7.31	47.05
1974	2.92	1.73	4.56	3.08	3.96	3.97	1.49	5.11	5.65	1.77	1.19	4.18	39.61
1975	4.23	2.95	4.63	3.03	5.65	6.16	5.53	2.55	6.19	3.06	2.63	3.00	49.61
1976	4.21	1.70	2.25	1.40	5.05	2.14	4.33	2.00	2.11	6.12	0.49	1.79	33.59
1977	2.18	1.09	4.55	3.91	0.96	4.41	1.38	4.82	1.29	3.59	6.14	5.81	40.13
1978	8.41	1.77	5.59	2.16	6.94	3.00	5.53	5.97	2.18	1.48	2.69	5.56	51.28
1979	7.61	7.02	2.61	4.03	3.10	4.01	4.76	6.11	5.94	3.45	3.23	1.44	53.31
1980	2.44	0.83	6.22	4.55	2.40	4.23	3.49	1.09	1.44	3.99	2.41	0.83	33.92
1981	0.52	3.23	1.26	3.54	5.05	4.50	2.52	3.38	3.82	2.84	0.67	3.95	35.28
1982	3.75	2.71	2.87	5.41	3.72	4.70	2.70	4.68	2.30	1.97	3.87	2.39	41.07
1983	2.98	3.55	6.84	6.80	7.38	3.94	2.33	1.29	3.44	3.87	5.48	6.80	54.70
1984	1.25	4.27	5.40	4.24	5.03	4.54	6.53	1.56	2.02	3.31	1.63	1.94	41.72
1985	1.56	2.05	2.03	0.35	5.52	1.37	6.91	2.28	4.56	1.84	4.46	0.80	33.73
1986	4.21	2.77	1.19	2.77	1.69	4.05	3.99	2.88	2.75	4.04	6.42	6.11	42.87
1987	4.35	1.52	1.16	2.63	3.15	2.31	4.09	4.21	4.85	2.31	3.50	1.90	35.98
1988	2.46	4.14	1.82	2.59	4.95	0.21	8.29	3.03	2.18	1.94	5.29	0.90	37.80
1989	2.48	2.75	3.69	2.76	6.57	5.43	12.63	1.97	4.31	3.92	1.99	1.27	49.77
1990	3.56	1.35	2.15	3.42	7.03	3.94	4.27	6.15	2.64	2.85	1.61	5.16	44.13
1991	4.30	0.97	4.64	3.28	1.98	3.41	3.71	5.38	5.36	1.27	1.26	4.26	39.82
1992	1.05	1.81	4.36	1.76	4.48	3.14	4.34	2.21	4.30	1.11	4.27	4.21	37.04
1993	2.64	3.11	7.50	5.87	3.95	1.60	4.04	2.65	6.26	2.77	2.85	3.51	46.75
1994	5.00	3.55	7.36	2.85	3.69	2.11	7.01	5.68	2.10	0.85	2.96	2.24	45.40
1995	3.08	2.28	2.47	2.10	3.50	1.26	2.89	2.03	5.17	8.01	4.31	2.17	39.27
POR= 102 YRS	3.30	3.04	3.72	3.49	3.68	3.69	4.55	4.49	3.64	3.02	3.24	3.41	43.28

WBAN : 13781

AVERAGE TEMPERATURE (°F) 1995 WILMINGTON, DELAWARE (ILG)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1966	29.3	31.9	42.9	47.9	60.3	72.5	77.2	74.8	65.3	53.6	46.6	34.8	53.1
1967	36.2	29.4	39.4	51.5	55.4	71.2	74.4	72.8	65.1	54.7	40.7	36.8	52.3
1968	28.0	30.5	44.6	54.1	59.6	71.4	76.7	77.1	69.7	59.0	47.0	34.2	54.3
1969	30.8	33.6	39.6	55.1	64.2	73.4	75.7	75.4	68.2	56.0	44.6	32.7	54.1
1970	24.5	33.5	38.9	51.9	64.8	71.7	76.6	76.7	72.1	60.4	48.5	35.9	54.6
1971	27.4	35.5	40.7	51.1	60.4	73.4	75.9	74.0	71.1	62.9	45.7	42.1	55.0
1972	36.1	32.6	41.3	50.0	62.5	68.6	76.9	75.5	69.6	53.5	45.2	41.6	54.4
1973	35.6	35.5	49.4	54.7	61.4	75.8	78.1	78.1	70.4	59.9	49.1	37.7	57.1
1974	36.2	33.1	44.3	55.5	62.4	70.4	76.7	76.1	66.5	53.2	46.6	38.9	55.0
1975	37.5	35.9	40.6	47.5	65.2	71.5	75.7	76.3	65.4	60.0	51.0	36.2	55.2
1976	27.7	41.2	46.5	54.7	59.9	72.4	74.2	73.7	66.9	52.5	40.4	31.0	53.4
1977	20.8	33.3	47.2	54.4	63.9	68.9	76.4	75.4	69.3	53.4	46.6	33.4	53.6
1978	27.2	22.8	37.6	50.3	60.3	70.6	73.4	77.1	66.7	54.1	46.8	37.2	52.0
1979	31.4	22.1	45.4	50.6	63.8	67.9	75.3	75.0	68.2	55.0	49.6	38.1	53.5
1980	32.4	29.9	40.0	54.6	64.9	68.9	77.7	78.2	71.3	54.8	43.3	33.1	54.1
1981	25.4	37.9	40.2	55.0	62.5	72.3	77.1	73.5	66.9	53.0	45.3	34.2	53.6
1982	24.2	34.2	41.8	50.6	65.0	69.9	77.3	72.0	67.4	56.0	47.5	41.3	53.9
1983	35.2	35.3	45.9	53.1	61.0	71.8	77.6	77.0	69.3	56.9	46.7	32.1	55.2
1984	24.8	38.6	35.6	50.7	61.2	73.8	75.2	75.2	63.7	61.2	43.3	42.1	53.8
1985	27.5	37.4	47.1	58.0	65.9	70.6	76.6	74.4	69.1	58.3	51.0	32.9	55.7
1986	32.2	31.6	43.6	52.4	65.7	72.1	77.1	72.5	67.5	57.2	44.1	37.3	54.4
1987	31.4	31.9	44.6	52.3	63.1	73.5	79.1	74.3	68.3	51.7	47.4	38.6	54.7
1988	27.4	34.8	44.2	50.8	62.9	71.6	79.4	77.3	65.8	51.0	46.7	35.1	53.9
1989	36.0	34.3	42.1	51.6	62.1	74.3	75.9	74.4	68.4	57.6	44.6	25.0	53.9
1990	40.5	41.1	46.0	53.7	61.5	72.1	77.4	74.6	66.7	60.0	48.4	41.0	56.9
1991	34.3	39.7	44.9	54.7	69.1	73.6	77.3	76.7	67.2	57.6	46.8	39.5	56.8
1992	35.2	37.2	41.5	52.0	60.7	69.6	76.3	72.2	67.3	53.2	47.2	38.3	54.2
1993	37.6	31.0	39.0	52.8	65.3	72.8	79.4	77.8	68.7	55.7	47.4	36.4	55.3
1994	26.3	31.6	41.8	58.4	60.0	75.8	79.8	73.2	67.2	53.9	49.7	40.0	54.8
1995	36.6	30.3	45.3	51.5	62.2	72.0	78.7	77.1	68.2	59.3	41.3	31.3	54.5
POR= 101 YRS	32.2	33.3	42.1	52.3	62.7	71.4	76.1	74.3	67.8	56.5	45.8	35.3	54.1

HEATING DEGREE DAYS (base 65°F) 1995 WILMINGTON, DELAWARE (ILG)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1966-67	0	0	84	346	545	931	888	991	788	402	295	5	5275
1967-68	0	0	80	327	722	866	1139	994	626	319	171	6	5250
1968-69	0	0	7	205	532	949	1052	874	780	298	92	1	4790
1969-70	0	0	41	288	606	993	1250	876	803	389	95	1	5342
1970-71	0	0	25	175	487	895	1159	821	746	411	153	3	4875
1971-72	0	2	23	93	585	702	889	935	732	443	105	27	4536
1972-73	0	0	20	356	586	716	902	820	477	322	143	0	4342
1973-74	0	0	15	179	469	839	886	887	635	300	137	7	4354
1974-75	0	0	65	362	553	805	847	808	753	520	84	5	4802
1975-76	0	0	56	177	418	888	1149	681	567	341	178	31	4486
1976-77	0	4	44	387	734	1047	1361	884	546	333	107	32	5479
1977-78	0	1	31	353	550	975	1165	1179	842	433	191	17	5737
1978-79	6	0	60	337	542	854	1037	1197	605	424	89	28	5179
1979-80	4	7	31	318	458	827	1004	1009	768	307	83	35	4851
1980-81	0	0	20	322	645	985	1222	752	763	299	135	4	5147
1981-82	0	0	57	370	585	947	1259	855	715	426	69	12	5295
1982-83	0	14	29	305	519	724	919	822	587	368	163	7	4457
1983-84	0	0	74	275	542	1013	1240	758	904	422	162	5	5395
1984-85	0	2	113	149	641	701	1154	766	550	248	73	7	4404
1985-86	0	0	45	213	411	986	1011	930	653	373	99	11	4732
1986-87	0	27	36	276	619	848	1032	923	628	374	143	2	4908
1987-88	0	2	22	406	521	811	1159	869	637	419	121	38	5005
1988-89	3	0	52	434	541	923	893	854	710	395	142	0	4947
1989-90	0	2	54	236	605	1231	749	661	593	368	127	6	4632
1990-91	2	1	69	214	494	734	943	700	617	320	61	5	4160
1991-92	0	0	64	244	541	785	914	799	723	386	169	12	4637
1992-93	0	1	57	363	527	817	843	945	799	360	64	12	4788
1993-94	0	0	55	286	526	879	1193	929	715	223	189	2	4997
1994-95	0	0	29	343	454	770	875	967	598	401	122	0	4559
1995-	0	0	41	208	703	1033							
POR= 52 YRS	0	2	52	277	566	906	1022	877	695	376	133	14	4920

WBAN : 13781

COOLING DEGREE DAYS (base 65°F) 1995 WILMINGTON, DELAWARE (ILG)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1969	0	0	0	8	73	258	336	330	143	14	0	0	1162
1970	0	0	0	2	97	211	365	371	244	38	0	0	1328
1971	0	0	0	0	16	261	345	287	214	34	16	0	1173
1972	0	0	2	0	35	143	376	334	165	8	0	0	1063
1973	0	0	0	19	42	332	416	413	183	29	0	0	1434
1974	0	0	0	24	64	175	370	355	113	2	6	0	1109
1975	0	0	0	0	97	207	337	355	73	27	5	0	1101
1976	0	0	0	37	25	260	291	278	106	6	0	0	1003
1977	0	0	5	20	80	156	360	328	166	0	5	0	1120
1978	0	0	0	0	48	188	273	383	117	7	0	0	1016
1979	0	0	4	1	57	123	327	324	138	16	0	0	990
1980	0	0	0	0	83	159	400	417	214	10	0	0	1283
1981	0	0	0	9	62	228	381	270	120	3	0	0	1073
1982	0	0	0	2	75	163	391	238	107	32	1	0	1009
1983	0	0	0	17	47	218	398	378	209	29	0	0	1296
1984	0	0	0	0	50	276	321	327	80	34	0	0	1088
1985	0	0	4	47	106	181	366	300	174	13	0	0	1191
1986	0	0	0	0	129	227	379	267	116	40	0	0	1158
1987	0	0	0	3	91	264	446	295	129	0	0	0	1228
1988	0	0	0	0	62	242	455	389	80	5	0	0	1233
1989	0	0	6	0	61	287	345	299	162	17	0	0	1177
1990	0	0	10	36	23	227	395	304	127	66	0	0	1188
1991	0	0	1	18	197	271	390	371	135	23	2	0	1408
1992	0	0	0	3	39	156	358	230	134	3	0	0	923
1993	0	0	0	1	79	252	452	405	176	3	4	0	1372
1994	0	0	0	32	41	334	466	260	99	4	0	0	1236
1995	0	0	0	4	42	218	434	381	148	39	1	0	1267
POR= 27 YRS	0	0	1	10	67	222	376	329	143	18	1	0	1167

SNOWFALL (inches) 1995 WILMINGTON, DELAWARE (ILG)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1966-67	0.0	0.0	0.0	0.0	T	21.5	0.6	18.7	2.7	T	0.0	0.0	43.5
1967-68	0.0	0.0	0.0	0.0	6.8	4.0	1.6	0.9	1.3	0.0	0.0	0.0	14.6
1968-69	0.0	0.0	0.0	0.0	T	0.6	2.9	5.5	7.8	0.0	0.0	0.0	16.8
1969-70	0.0	0.0	0.0	T	0.1	6.8	9.7	1.5	0.4	0.0	0.0	0.0	18.5
1970-71	0.0	0.0	0.0	0.0	0.0	3.2	5.8	0.2	2.4	0.6	0.0	0.0	12.2
1971-72	0.0	0.0	0.0	0.0	T	T	2.1	7.0	0.3	0.1	0.0	0.0	9.5
1972-73	0.0	0.0	0.0	T	T	T	T	1.2	T	T	0.0	0.0	1.2
1973-74	0.0	0.0	0.0	0.0	0.0	6.1	2.4	11.5	T	T	0.0	0.0	20.0
1974-75	0.0	0.0	0.0	0.0	T	T	5.1	4.8	1.1	T	0.0	0.0	11.0
1975-76	0.0	0.0	0.0	0.0	0.0	0.3	4.5	1.7	6.7	T	0.0	0.0	13.2
1976-77	0.0	0.0	0.0	0.0	0.1	3.2	14.5	T	0.0	T	0.0	0.0	17.8
1977-78	0.0	0.0	0.0	0.0	0.4	0.9	16.0	18.4	9.9	T	0.0	0.0	45.6
1978-79	0.0	0.0	0.0	0.0	4.5	T	12.0	27.5	0.2	T	0.0	0.0	44.2
1979-80	0.0	0.0	0.0	2.5	0.0	1.4	6.1	0.8	5.1	0.0	0.0	0.0	15.9
1980-81	0.0	0.0	0.0	0.0	0.5	1.4	6.5	T	3.7	0.0	0.0	0.0	12.1
1981-82	0.0	0.0	0.0	0.0	T	2.8	14.6	4.5	0.4	2.6	0.0	0.0	24.9
1982-83	0.0	0.0	0.0	0.0	T	5.8	T	18.5	0.3	0.5	0.0	0.0	25.1
1983-84	0.0	0.0	0.0	0.0	T	T	9.7	T	5.2	T	0.0	0.0	14.9
1984-85	0.0	0.0	0.0	0.0	T	0.3	14.2	0.7	T	0.4	0.0	0.0	15.6
1985-86	0.0	0.0	0.0	0.0	0.0	1.4	3.1	9.7	T	T	0.0	0.0	14.2
1986-87	0.0	0.0	0.0	0.0	T	0.3	21.4	15.7	0.2	2.4	0.0	0.0	40.0
1987-88	0.0	0.0	0.0	0.0	0.7	2.1	10.8	1.1	T	T	0.0	0.0	14.7
1988-89	0.0	0.0	0.0	0.0	T	0.2	6.7	2.9	1.2	0.0	0.0	0.0	11.0
1989-90	0.0	0.0	0.0	0.0	5.6	8.9	1.5	1.0	1.3	1.6	0.0	0.0	19.9
1990-91	T	0.0	0.0	0.0	0.0	6.4	5.2	0.6	0.9	T	T	0.0	13.1
1991-92	0.0	0.0	0.0	0.0	T	0.2	1.5	1.3	0.5	T	0.0	T	3.5
1992-93	0.0	0.0	0.0	0.0	T	0.1	1.4	10.0	13.9	0.0	0.0	0.0	25.4
1993-94	0.0	0.0	0.0	0.0	T	2.4	2.7	9.2	3.4	0.0	0.0	0.0	17.7
1994-95	0.0	0.0	0.0	0.0	T	0.0	T	8.3	T	0.0	0.0	0.0	8.3
1995-	0.0	0.0	0.0	0.0	3.2	7.1							
POR= 48 YRS	T	0.0	0.0	0.1	0.9	3.3	6.4	6.1	3.3	0.2	T	T	20.2

WBAN : 13781

REFERENCE NOTES:

PAGE 1:
THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).

PAGE 2 AND 3:
H/C INDICATES HEATING AND COOLING DEGREE DAYS.
RH INDICATES RELATIVE HUMIDITY
W/O INDICATES WEATHER AND OBSTRUCTIONS
S INDICATES SUNSHINE.
PR INDICATES PRESSURE.
CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED TEN TENTHS.
MAXIMUM SNOW DEPTH IS THE DEPTH MEASURED AT 12 UTC.

GENERAL:
T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE.
+ INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES.
BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA.
NORMALS ARE 30-YEAR AVERAGES (1961 - 1990).
ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM.
PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH.
POR (PERIOD OF RECORD) INDICATES THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING.
WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED.
0.* OR * INDICATES THE VALUE OR MEAN DAYS WITH IS BETWEEN 0.00 AND 0.05.
CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET.
THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.

GENERAL CONTINUED:
CLEAR INDICATES 0 - 3 TENTHS, PARTLY CLOUDY INDICATES 4 - 7 TENTHS, AND CLOUDY INDICATES 8 OR MORE TENTHS.
WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.
WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH.
RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION.
AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2.
SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL.
A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F.
DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR.
DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY.
WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.

1995 WILMINGTON, DELAWARE (ILG)

Delaware is part of the Atlantic Coastal Plain consisting mainly of flat low land with many marshes. Small streams and tidal estuaries comprise the drainage of the State. Wilmington, at the northern end of the State, marks the beginning of low rolling hills extending northward and northwestward into Pennsylvania. The Delaware River, the Delaware Bay, and the Atlantic Ocean are along the eastern boundary of the State. The broad Chesapeake Bay lies 35 miles, or less, to the west of the western boundary of nearly the entire State. These large water areas considerably influence the climate of the Wilmington, Delaware region.

Summers are warm and humid, winters are usually mild. During the summer maximum temperatures are usually in the 80s. The temperature reaches 100 degrees on the average once in six years. During January, the coldest month of the year, the daily average temperature is 32 degrees. Temperatures of zero may be expected once in four years. Most of the winter precipitation falls as rain. Seasonal snowfall has been as little as 1 inch, and as much as 50 inches. Snow is frequently mixed with rain and sleet, and seldom remains on the ground more than a few days.

The proximity of large water areas and the inflow of southerly winds cause the relative humidity to be quite high all year. During the summer months the relative humidity is approximately 75 percent. Fog is relatively frequent and may occur in any month. Light southeast winds blowing up the Delaware Bay favor the formation of fog. Light north-northeast winds bring in smoke from Philadelphia and from the heavy industry area located along the Delaware River north of Wilmington.

Rainfall distribution throughout the year is fairly uniform, however, the greatest amounts normally come during the summer months. Mostly, the summer rainfall comes in the form of thunderstorms. Moisture deficiencies for crops occur occasionally, but severe droughts are rare. During the fall, winter, and spring seasons, much of the rainfall comes from storms forming over the southern states or the South Atlantic and moving northward along the coast. During the late summer and early fall, hurricanes occasionally cause heavy rainfall, but winds seldom reach hurricane force in Wilmington. Heavy rains occasionally cause minor flooding, but the streams and rivers of northern Delaware are not subject to major flooding. Strong easterly and southeasterly winds sometimes cause high tides in the Delaware Bay and the Delaware River, resulting in the flooding of lowlands and damage to bay front and river front properties.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is October 29 and the average last occurrence in the spring is April 13.

STATION LOCATION

WILMINGTON, DELAWARE

LOCATION	OCCUPIED FROM	OCCUPIED TO	AIRLINE DISTANCES AND DIRECTIONS FROM PREVIOUS LOCATION	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING EQUIPMENT *	REMARKS
						SEA LEVEL	GROUND										
							GROUND TEMPERATURE	WIND INSTRUMENTS	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET	RAIN GAGE	WEIGHING RAIN GAGE	8 INCH RAIN GAGE		
COOPERATIVE																	
Wilmington, Delaware 6th and King Streets	4/1/94	7/12/16		39°45'	75°33'	86									35'		Ordinary thermometer exposed outside N window; Sept. '09 max. and min. in use, exposure of thermometers poor.
Porter Reservoir Wilmington, Delaware 1.9 miles NNE of P.O.	3/1/12	Present		39°46'	75°33'	260		3'							3'		Home made shelter in use; C.R. shelter September 1936, good exposure over sod. Precipitation record began 7/12/12.
Wilmington, Delaware 10th and King Streets 1 block S of P.O.	7/12/16	10/31/58	1.9 mi. SSW	39°45'	75°33'	99									47'		Precipitation only most of time.
AIRPORT																	
Bellanca Field New Castle, Delaware 6.1 miles SSW Wilmington Post Office	4/20/31	6/7/34		39°40'	75°36'												
DuPont Airport Wilmington Delaware 3 miles WNW Wilmington Post Office	4/27/42	12/8/42	6.8 mi. N	39°46'	75°36'												
New Castle County Airport Tower, Wilmington, Delaware, 5.6 miles SW of Post Office	5/19/47	11/6/47	5.6 mi. SSW	39°40'	75°36'	75											Airway observation by county tower employees.
New Castle County Airport, Adm. Bldg.	11/7/47	12/5/47	125 yds. SW	39°40'	75°36'	73	75	5	5						3		Wind instruments of previous location used.
New Castle County Airport, Terminal Bldg.	12/5/47	7/16/56	150 ft. NE	39°40'	75°36'	73	34	5	5						4		Exposure of instruments good.
New Terminal Building New Castle County AP + + Greater Wilmington Airport eff. 5/1961	7/16/56	Present	7/8 mi. SE	39°40'	75°36'	78 b74	20	s5	s5	NA	NA		5	4	NA a4 c4	NA	Exposure of instruments excellent. a - Commissioned 1000 feet from thermometer site 4/11/67. b - Lowered 4/11/67. c - Standby after 4/11/67. c - Type change 8/12/85. ASOS commissioned 10/1/94.

SUBSCRIPTION:

Price and ordering information available through: National Climatic Data Center, Federal Building, Asheville, North Carolina 28801.

INQUIRIES/COMMENTS CALL: (704) 271-4800

Imprint - 225

National Climatic Data Center
151 Patton Avenue, Rm 120
Asheville NC 28801-5001

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
FORWARD AND ADDRESS CORRECTION

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19