

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU

CHARLES F. MARVIN, Chief

In Cooperation with Maryland State Weather Service

# CLIMATOLOGICAL DATA

## MARYLAND AND DELAWARE SECTION

ROSCOE NUNN, Meteorologist and Section Director

VOL. XXXI BALTIMORE, MD., JULY, 1926 No. 7

### GENERAL SUMMARY

July was the first month since February with a near-normal mean temperature and an average rainfall above the normal. The month was very wet on the Eastern Shore, especially in Delaware where it was the second wettest July of record. Monthly relative humidity and monthly sunshine were slightly below normal. There was a humid period from the 29th to the 31st.

Warm weather prevailed from the 1st to 3d, 6th to 10th, and 17th to 25th; also on the 13th and 29-30th. The warm spell of the 17-25th was marked by a hot wave on the 21st and 22d, with maximum temperatures close to or above 100°, except between 92° and 96° in the Allegheny Mountain region. The highest temperature was 107° at Frederick and Keedysville. Cool periods were 4-5th, 11-12th, 14-16th, 26-28th, and 31st. Lowest temperatures were recorded on the 12th generally and ranged from 38° in the Allegheny Mountain highlands to 60° at Baltimore.

Rainfall was unevenly distributed over the section. The area of greatest monthly amounts, 10 to 15.2 inches, embraced southern Delaware; amounts decreased in all directions therefrom to between 6 and 7 inches along the eastern shore of the Chesapeake Bay and at the northern and southern boundaries of the Eastern Shore. Monthly amounts were close to 6 inches in the Allegheny Mountain region, but between that and Chesapeake Bay they were below normal generally, with amounts between 3 and 6 inches, except less than 3 inches in northern Carroll and northern Calvert Counties. Rainfall was mostly of the thundershower type, except that heavy northeast rains occurred generally on the 4-6th and in the eastern half of the section on the 14-16th. On the Eastern Shore the rains of the 14-16th were between 2 and 4 inches, except 4 to 8.9 inches in Delaware. These amounts are reflected in the monthly totals. The fall of 8.9 inches was at Milford, where the monthly total of 15.20 inches was the greatest monthly amount ever recorded in Delaware.

A devastating hailstorm in the late afternoon of the 18th in the interior of northwestern Garrett County was an unprecedented occurrence for that region of the section—the Allegheny Mountain highlands. Another destructive hailstorm occurred in the afternoon of the 24th in the extreme southwestern portion of Allegany County.

A strong thundergust in the late afternoon of the 10th passed over Howard, southern Baltimore, and northern Anne Arundel Counties. Some trees were uprooted and slight damage to property resulted.

There was some damage also by lightning, locally.

*Crops.*—Warm weather and beneficial rains caused all backward crops to make rapid and favorable progress. Harvesting of wheat and rye ended in the southern and central counties during the first decade; it began in the northern and western counties during the first decade and ended during the second. Threshing gave good yields. Oats improved, headed, and ripened; they were harvested during the second and third decades in the southern counties, while to the northward harvesting began during the third decade. Corn grew rapidly and was in good to excellent condition. By the close of the second decade it had attained normal growth for that date. Tasseling was general during the third decade and the more advanced crop was silking before the close of the month. Digging of early potatoes was finished, except in western Maryland; the crop was fair to good. Planting of late potatoes ended. They germinated well and made good stands. Sweet potatoes, tobacco, cowpeas, and soy beans did well. Harvesting of peas in the northern counties ended during the first decade. Tomatoes were in good condition, but were rather slow in matur-

ing; some of the very early crop was marketed from the extreme southern counties of the Eastern Shore. Truck, gardens, and pastures improved and were fair to good. Haying was in progress.

*Fruits.*—Apples, peaches, and pears continued in good to excellent condition and progressed well. Marketing of the early varieties began in the southern counties during the first decade and in the northern counties during the second decade, except in the mountain districts during the third. A large crop of blackberries was harvested.—*J. B., jr.*

### PRESSURE

The monthly mean sea-level pressure at Washington and at Baltimore was 29.96; at Aberdeen, 29.98 inches. The highest at Washington was 30.24; at Baltimore and Aberdeen, 30.25 inches—both on the 27th. The lowest at Washington was 29.47; at Baltimore, 29.62; at Aberdeen, 29.52 inches—all on the 10th.

### TEMPERATURE

The monthly mean for the section, 74.9°, is 0.3° below normal. The highest monthly mean was 77.6° at Frederick and Solomons; the lowest, 67.7°, at Grantsville. The highest temperature, 107°, occurred at Frederick on the 21st and at Keedysville on the 22d; the lowest, 38°, at Oakland on the 12th. The greatest local monthly range was 61° at Hancock; the least, 36°, at Crisfield. The greatest daily range was 43° at Hancock on the 22d.

### RELATIVE HUMIDITY

The average percentages of relative humidity were as follows: Washington, D. C., 8 a. m., 75; 12 noon, 58; 8 p. m., 67; Baltimore, Md., 8 a. m., 70; 12 noon, 56; 8 p. m., 68. Aberdeen, Md., 8 a. m., 83; 4 p. m., 70. Philadelphia, Pa., 8 a. m., 80; 12 noon, 65; 8 p. m., 73.

### PRECIPITATION

The monthly average for the section, 5.85 inches, is 1.52 inches above normal. The greatest monthly amount was 15.20 inches at Milford; the least, 1.91 inches, at Ferry Landing. The average number of days with 0.01 inch or more, 12, is 2 above normal.

### WIND

The prevailing direction for the section was south. The total movement at Washington was 3,867; at Baltimore, 4,955; at Aberdeen, 4,710 miles. The maximum velocity at Washington was 45 miles from the northwest on the 10th; at Baltimore, 34 miles from the southwest on the 10th; at Aberdeen, 38 miles from the southwest on the 18th.

### SUNSHINE AND CLOUDINESS

At Washington 63 per cent of the possible sunshine was recorded; at Baltimore, 62 per cent; at Aberdeen, 66 per cent. For the whole section the average number of clear days was 14; partly cloudy, 9; cloudy, 8.

### MISCELLANEOUS PHENOMENA (WITH DATES)

*Fogs, light.*—Aberdeen, 9, 14, 17, 20, 31.

*Fogs, dense.*—Aberdeen, 5, 6, 21; Clear Spring, 29; Ferry Landing, 21, 22; Frostburg, 5, 6; Princess Anne, 3; Milford, 2; Millsboro, 2, 29.

*Hail, light.*—Garrett County, except as noted under "heavy", also Aberdeen, Frederick, and Millsboro, 18; extreme western Allegany County, except as noted under "heavy", 18, 24.

*Hail, heavy.*—On 18th—Garrett County: Interior northwestern portion, from West Virginia line eastward to Meadow Mountain; path about 4 miles wide and about 15 miles long, embracing Hoyes, Accident, George Hill, and Bittering communities; between 5 p. m. and 6 p. m.; hailstones as large as hen's eggs to goose eggs, some measuring 7 to 9 inches in circumference. Damage to crops and fruit estimated at \$75,000; to property

(Continued on page 26)

Climatological Data for July, 1926

Stations	Counties	Elevation, feet	Length of record, years	Temperature, in degrees Fahr						Precipitation, in inches			Number of days				Observers			
				Mean	Departure from the normal	Highest	Date	Lowest	Date	Greatest daily range	Total	Departure from the normal	Greatest in 24 hours	Total snowfall (unmelted)	With precip. 0.01 inch or more	Clear		Partly cloudy	Cloudy	Prevailing direction of wind
<i>Maryland</i>																				
Aberdeen	Harford	80	8	74.4		99	21	53	12	27	5.62		1.82	0.0	16	10	11	s.	U. S. Army.	
Annapolis	Anne Arundel	45	61	76.2	-1.5	100	21	56	12	30	5.80	+1.17	1.85	0.0	12	15	8	s.	Joseph Stein.	
Baltimore*		115	56	77.4	0.0	102	21	60	15	28	5.74	+0.92	1.41	0.0	15	12	8	sw.	U. S. Weather Bureau.	
Bell II	Prince Georges	151	6	75.6		103	22	48	12	39	3.95		1.02	0.0	11	13	11	7	sw.	Bureau Plant Industry.
Boyd's	Montgomery	424	7	74.9		104	21	47	12	41	4.25		2.10	0.0	9	14	10	7	sw.	James L. Higgins.
Cambridge	Dorchester	25	33	76.9	-1.2	99	21	57	12	27	6.21	+1.56	2.16	0.0	10	20	5	6	nw.	Matt Harding.
Cecilton	Cecil	85	8	76.1		101	22	53	12	33	9.49		2.98	0.0	13	13	7	11	se.	Win. F. Coale.
Cheltenham	Prince Georges	230	26	75.8	+0.2	100	22	51	12	32	4.26	-0.28	2.35	0.0	12	17	5	9	sw.	Geo. Hartnell.
Chesapeake City	Cecil	17	7								7.85		2.01	0.0	13	15	7	9	sw.	Harold Steele.
Cheswille	Washington	530	29	74.0	-0.1	102	21	46	12	36	5.21	+1.23	1.76	0.0	10	11	12	8	sw.	D. Paul Oswald.
Clear Spring (a)	do.	500	24										0.0							Leo A. Cohill.
Clear Spring (b)	do.	500	29			104	22				3.13	-0.86	1.38	0.0	14	14	9	8		E. G. Kinsell.
Coleman II	Kent	80	29	76.0	-0.6	100	22	56	12	27	6.97	+2.35	1.85	0.0	13	18	6	7	sw.	Walter B. Harris.
College Park	Prince Georges	87	40	76.0	+0.8	102	21	50	12	38	4.01	-0.43	1.15	0.0	11	14	7	10	ne.	Prof. Thos. H. White.
Crisfield	Somerset	5	8			95	22	59	12		6.75		2.64	0.0	10					A. B. Cochrane.
Cumberland	Allegany	623	53	74.7	+0.7	106	22	48	12	39	3.79	+0.47	1.61	0.0	13	19	9	3		Harvey H. Weiss.
Darlington	Harford	300	36	74.0	-0.5	99	22	52	12	33	4.20	-0.29	1.00	0.0	11	12	11	8	s.	Fred. C. Jones.
Easton	Talbot	35	36	76.0	-0.1	100	21	51	12	32	4.41	-0.10	1.95	0.0	9	17	8	6	s.	Clement E. Bray.
Emmitsburg	Frederick	720	58																	Mt. St. Mary's College.
Fallston II	Harford	450	57	73.0	-1.0	96	22	53	12	26	6.19	+1.58	1.33	0.0	18	12	11	8	s.	Miss Dora Curtiss.
Ferry Landing II	Calvert	45	10	75.3		100	21	54	12	29	1.91		1.01	0.0	10	11	15	5	ne.	Thos. J. Bourne.
Frederick	Frederick	275	52	77.6	+1.3	107	21	53	12	38	3.67	-0.35	1.09	0.0	14	14	8	9	s.	Chas. S. Birely.
Friensburg	Garrett	1,501	8	69.6		93	22	43	12	35	3.95		1.10	0.0	9	17	6	8	w.	Joab J. Friend.
Frostburg	Allegany	1,929	25	70.8	-0.8	96	22	43	12	38	6.01	+1.98	2.51	0.0	12	17	9	5	w.	J. D. Snyder.
Grantsville	Garrett	2,351	33	67.7	-0.2	92	22	40	12	37	6.27	+1.96	2.01	0.0	14	7	12	12	w.	C. S. Zeller.
Great Falls II	Montgomery	200	37	75.8	+0.2	104	21	50	12	39	3.63	-0.52	1.80	0.0	9	13	11	7	s.	Chas. E. Sullivan.
Hancock	Washington	455	16	73.9	-1.0	106	22	45	12	43	2.97	-0.80	1.08	0.0	10	21	4	6		American Fruit Growers
Keedysville	do.	400	23	76.0	+0.5	107	22	48	12	42	3.96	+0.15	1.62	0.0	10	16	8	7	s.	J. A. Miller.
Laurel	Prince Georges	320	32	75.0	-0.2	99	21	56	12	32	5.17	+0.49	2.49	0.0	10	13	11	7		Evan G. Chaney.
Maryland Line	Baltimore	840	2	73.6		98	21	53	12	28	6.47		1.73	0.0	13	14	12	5	w.	Chester L. Fulton.
Millington	Kent	27	29	75.6	-0.5	100	22	61	12	31	9.49	+4.79	5.23	0.0	16	17	3	11	e.	Henry L. Higman.
Newburg	Charles	110	1	76.4		98	21	55	27	30	5.03		1.30	0.0	14	15	9	7	sw.	John P. Burdette.
Oakland	Garrett	2,461	27	67.8	+1.1	95	22	38	12	41	5.58	+0.89	1.05	0.0	13	9	17	5	w.	R. E. Weber.
Pleasant Hill II	Baltimore	660	2								3.66		0.82	0.0	10	14	8	9	nw.	J. E. Henry.
Princess Anne	Somerset	17	51	75.9	-0.1	100	22	53	12	31	7.10	+2.77	2.13	0.0	9	11	13	7	sw.	James R. Stewart.
Public Landing II	Worcester	10	11	76.1	+1.1	99	21	52	12	31	5.82	+1.82	3.02	0.0	9	13	5	13	e.	Louis C. de Guibert.
Ridgely	Caroline	57	5	76.2	+0.1	98	21	54	12	31	8.72	+4.21	2.45	0.0	11	12	7	12	se.	Albert White.
Rock Hall	Kent	25	11	75.8	-1.0	100	22	51	12	30	7.76	+3.00	2.75	0.0	12	17	9	5	s.	Charles Judesind.
Salisbury	Wicomico	23	21	77.0	+0.4	99	21	55	12	28	7.58	+3.72	1.98	0.0	13	16	7	8	s.	Homestead Dairy Farms.
Solomons	Calvert	20	35	77.6	-0.5	101	21	59	16	28	4.32	+0.05	1.30	0.0	11	12	6	13	se.	Dr. W. H. Marsh.
State Sanatorium	Frederick	1,460	13	73.9	+0.6	98	21	55	16	30	3.13	-0.97	0.95	0.0	9	14	8	9	w.	Dr. V. F. Cullen.
Takoma	Montgomery	320	28	75.2	+0.3	100	21	56	16	28	3.13	-1.50	0.80	0.0	10	13	7	11		L. M. Mooers.
Towson	Baltimore	465	14																	Albert E. Walden.
Western Port	Allegany	1,000	93	73.4	0.0	104	22	46	12	41	6.25	+2.50	2.70	0.0	11					Norris Bruce.
Westminster	Carroll	770	17	75.2	0.0	103	21	50	12	33	2.48	-2.04	0.66	0.0	11	19	5	7		Prof. S. P. Caltrider.
Woodstock	Baltimore	415	56	73.7	-1.5	101	21	50	12	37	3.44	-0.70	1.32	0.0	15	13	9	9	s.	Rev. J. A. Pollock, S. J.
<i>Dist. of Columbia</i>																				
Washington**		112	56	76.7	-0.1	104	21	57	12	32	4.20	-0.45	1.62	0.0	13	13	7	11	sw.	U. S. Weather Bureau.
<i>Delaware</i>																				
Bridgeville	Sussex	45	3	75.4	-0.5	99	22	51	12	33	11.86	+6.69	4.16	0.0	14	16	10	5	sw.	George Ray.
Delaware City	Newcastle	10	40	76.5	-0.1	99	21	56	12	29	6.77	+3.17	1.91	0.0	14	20	7	4	s.	G. E. Vail.
Dover	Kent	34	37	76.2	-0.4	100	22	54	12	29	8.97	+4.31	2.65	0.0	14	20	6	5	sw.	Arthur G. Livingston.
Millford	do.	20	44	75.6	-1.1	100	22	53	12	28	15.20	+10.94	6.54	0.0	14	7	18	6	e.	Chas. J. Holzmueeller.
Millsboro	Sussex	20	34	76.2	+0.1	102	22	53	12	38	10.77	+6.11	3.00	0.0	17	13	11	7	s.	Rev. M. P. S. Huntington.
Wilmington	Newcastle	86	33	74.5	-2.0	96	22	53	12	29	9.25	+4.19	2.70	0.0	14	19	4	8	s.	Street and Water Depts.
For Maryland and District of Columbia.				74.8	-0.2	107	21	38	12	43	5.21	+0.92	5.23	0.0	12	14	9	8	s.	
For Delaware				75.7	-0.7	102	22	51	12	38	10.47	+5.90	6.54	0.0	14	16	9	6	s.	
For entire section				74.9	-0.3	107	21	38	12	43	6.85	+1.52	6.54	0.0	12	14	9	8	s.	

The departures from normal temperature and precipitation are computed only for such stations as have ten or more years of record, but all complete reports are used in determining section or division means. Data in italics determined from surrounding stations. T. Precipitation is less than 0.01 inch rain or melted snow. Reference letters, \*, \*\*, appearing in the table indicate number of days missing; for example, \* represents two days, etc. \*\* Post office addresses of these stations are as follows: Of Bell, Glendale; of Coleman, Worton; of Fallston, Bagley; of Ferry Landing, Owings; of Great Falls, Bethesda; of Pleasant Hill, Owings Mills; of Public Landing, Snow Hill. †Also on other dates. \* Customhouse Building, Gay and Water Streets. \*\* Weather Bureau Building, 24th and M Streets.

(Continued from page 25)

at \$25,000. Numbers of birds and chickens were killed, some persons were cut, automobile tops were punctured, window panes broken, and roofs damaged. Fields and orchards were ruined. On 24th—Allegany County: Extreme southwestern portion, at Western Port; path 1 to 2 miles wide; from southeast to northwest; between 4 and 5 p. m.; hailstones size hazel

nuts to large walnuts; crops and fruits injured about 50 per cent, and many roofs damaged. Rainbows.—Aberdeen, 10; Baltimore, 10, 29. Thunderstorms—2, 3, 4, 5, 6, 9, 10, 13, 18, 20, 22, 23, 24, 29, 30, 31. Winds, high.—Eastern Shore, near coast, from northeast, 15: thunder-guets, 6, 10, 13, 18.

Daily Precipitation for July, 1926

Station	Watersheds	Day of month																															Total						
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31							
<i>Maryland</i>																																							
Aberdeen	Atlantic	.02		T.	.01	.51	1.82				.03		.03	.16	1.52	.09		.52		.43			.02	.01									.07	.36	.01	5.62			
Annapolis	do				.10	1.85	.10					.42		.09	1.42	.04			.32	.03													.18	.01	.03	5.80			
Baltimore	do			T.	.35	.86	.49				.30	T.	.01	.18	1.41				.31		.42		.03	.11	.01	T.					T.	1.06	.18	.02	5.74				
Bell	do				.70	1.02	.02				.43		.21	.24	.73	.12				.36					.01							.11			3.95				
Boys	do				.65	2.10	.25				.12	.20												.55	T.							.08			4.25				
Cambridge	do			.10		.85						.21		.05	.95	1.71																	.41	1.75	6.21				
Cecilton	do				.85	.40	.39	1.90				.16			.28	2.98	1.35		.01	.66	.46											.04	.01	T.	9.49				
Cheltenham	do				.18	1.14									.20	2.35	.05							.06	.05							.07	.12	.05	4.26				
Chesapeake City	do					.48	.40	1.40				.10			.29	2.01	1.88				.38	.44										.19	T.	7.85					
Chesapeake	do			T.	.24	.32	.27								.22	.10					.07			T.	1.76	1.74						.46	T.	.04	5.21				
Clear Spring (a)	do																																						
Clear Spring (b)	do			.05		1.38	.02			.11	.10				.09				.60													.04	.05	.05	3.13				
Coleman	do				.15	.61	.40	1.56				.15			.46	1.85	.51		T.	.43	.25		.07	.55	.02						.03	.10	T.	6.97					
College Park	do				.13	1.15	.08				.34				.26	.65	.13			.01				.22	.02							.02		T.	4.01				
Cristfield	do																																		.04	6.75			
Cumberland	do	.12			.14	1.61	.15	.02				.03			.24	.02							.28		.06	.28	.65						.10		3.70				
Darlington	do				.20	.20	1.00					T.			.51	.70	.46			.14	.39											.15	T.	.21	4.20				
Easton	do				.09	.82						.18			.56	1.95	.18																		.55	4.41			
Emmitsburg	do																																						
Fallston	do	T.		.18	.02	.58	.76	.23				.58		.09	.63	1.33	.15																.19	.02	.01	6.19			
Ferry Landing	do		.01		.15	.19		.04				.02			.09	1.01																			.14	1.91			
Frederick	do	.08			.45	1.09	.30	T.				.03			.06	.64	.16		.01	.02													.09	T.	3.67				
Friensburg	Ohio				.75	.50	.60					T.	.12	.25	.30				.17																3.95				
Frostburg	Atlantic	.03			1.02	.48	.12					.20			.30					.03	.67													.03	T.	6.01			
Grantsville	Ohio	.30			.68	.13	.60	.02				.34			.32	.20				1.32														.10	T.	6.27			
Great Falls	Atlantic					1.80	.13					.23			.28	*	.88																	.03		8.63			
Hancock	do				1.08	.47	.04					.06			.13	.01																			.02	2.97			
Keedysville	do				.28	.67	.14								.06	.84																			.03	3.96			
Laurel	do			T.	.62	2.49	.08	T.				.84		T.	.43	.49	.13																	.08	T.	5.17			
Maryland Line	do				.65	.61	.40					.58			.14	.55	.32																	.15		6.47			
Millington	do			T.	.30	.68	.21	1.20				.07			.40	2.68	2.55																	.02	.27	.09	9.49		
Newburg	do	.06	.03	.01	.56	.57		.44		.02				.15	.25	1.30	T.																	1.03	.42	5.03			
Oakland	Ohio				.60	.60	.18	.08				.10	.18		.01	.68	.40																		1.00	5.58			
Pleasant Hill	Atlantic				.22	.82	.40	.43							.29	.40	.19																	.17		3.66			
Princess Anne	do			T.	.40	.37	.67					T.		.77	.92	1.70																			T.	7.10			
Public Landing	do			.16	.14	1.75									.33	.15	3.02																		.04	5.82			
Ridgely	do				.70	2.45	.04					.40			.52	1.90	.82																			3.72			
Rock Hall	do				.60	1.28	.03	.40				.27			.14	1.35	2.75																		.20	7.76			
Salisbury	do				.48	1.98	.47	.01	.02			.32			1.50	1.09	.15																		.15	.12	7.58		
Solomons	do	.04		T.	.65	.13		.08				.07		T.	1.20	1.30	T.																		.02	.04	4.32		
State Sanatorium	do					1.00	.04								.17	.07																			.23	T.	3.13		
Takoma	do				.75	.80	.06	T.				.20	T.		.30	.02	.72																		.05	3.13			
Towson	do																																						
Western Port	do				.62	1.12	.02							.20	.25																				.04	.12	6.25		
Westminster	do				.12	.48	.66					T.			.10	.35	.15																		.15	T.	2.48		
Woodstock	do	.01			.19	1.32	.23					.11	.16		.19	.36	.39																		.12	.21	3.44		
<i>District of Columbia</i>																																							
Washington	Atlantic				1.30	.32	.06	T.				.46	.14		.02	.09	1.02																		.02	.02	.15	4.20	
<i>Delaware</i>																																							
Bridgeville	Atlantic				.44	1.11	.18	.24				.02			2.78	4.16	.55																		.34	.01	1.61	11.86	
Delaware City	do				.12	.33	.42	1.04				.04		T.	.32	1.91	1.62																			.12	.09	.03	6.77
Dover	do							1.21	1.21						.85	2.65	1.00																			.07	.02	.42	8.97
Millford	do				.53	1.24	.50					.61			1.70	6.54	.69																			.85	.01	.30	15.20
Millsboro	do	.08	T.	.01	.08	1.83	.01	T.				.33			3.00	1.08	.74																			.01	.10	1.10	10.77
Wilmington	do				.35	.26	.51					.26			.58	1.22	2.70																		.22	.20	.05	9.25	

Except as otherwise indicated observations are generally made late in the afternoon, near sunset, and precipitation recorded is for the 24 hours ending at the time of observation.  
 \*\*\* Regular Weather Bureau station; precipitation is for the 24-hour period, midnight to midnight. \*\* Precipitation is for 24-hour period, midnight to midnight.  
 ||| Precipitation measured in the morning; amount then recorded is for the preceding 24 hours. \* Precipitation included in the next following measurement.  
 T. Trace, or less than 0.01 inch. Data in italics determined from surrounding stations.

COMPARATIVE DATA FOR MARYLAND AND DELAWARE FOR JULY

Year	Temperature				Precipitation						Year	Temperature				Precipitation							
	Mean	Departure from the normal	Highest	Lowest	Average	Departure from the normal	Greatest local	Least local	Greatest in 24 hours	Snowfall		Number of days with 0.01 inch or more	Mean	Departure from the normal	Highest	Lowest	Average	Departure from the normal	Greatest local	Least local	Greatest in 24 hours	Snowfall	Number of days with 0.01 inch or more
1895	71.4	-1.3	102	32	3.29	-1.04	7.68	0.81	3.55	0.0	8	1911	77.0	+1.8	106	38	2.70	-1.63	6.07	0.04	8.25	0.0	7
1896	76.0	+0.8	99	40	5.22	+0.89	15.27	2.34	3.74	0.0	13	1912	74.3	+0.9	99	43	5.28	+0.95	13.26	2.19	4.13	0.0	11
1897	75.6	+0.8	102	41	6.94	+2.61	19.30	2.78	3.75	0.0	13	1913	75.9	+0.7	102	38	2.77	-1.56	6.80	0.33	1.85	0.0	9
1898	77.5	+2.3	109	33	3.65	-0.68	7.77	1.31	4.00	0.0	9	1914	74.4	-0.8	101	35	3.10	-					

Daily Temperatures for July, 1926

Table with columns for Stations, days 1-31, and Mean. Rows list various Maryland and Delaware stations such as Aberdeen, Annapolis, Baltimore, etc., with their respective maximum and minimum temperatures for each day.

\*, b, c, etc., indicate respectively 1, 2, 3, etc., days missing from the record. Instruments are read in the morning; the maximum temperature then read is charged to the preceding day, on which it almost always occurs. Temperatures at Aberdeen, Baltimore, and Washington are from midnight to midnight; at other stations, except Cumberland and Takoma they are for the 24-hour period ending late in the afternoon, near sunset. Data in italics determined from surrounding stations.