

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU

CHARLES F. MARVIN, Chief

In Cooperation with Maryland State Weather Service

CLIMATOLOGICAL DATA

MARYLAND AND DELAWARE SECTION

ROSCOE NUNN, Meteorologist and Section Director

VOL. XXXI BALTIMORE, MD., SEPTEMBER, 1926 No. 9

GENERAL SUMMARY

September was mild and wet. It was the third successive month with rainfall well above normal. It was cooler by 3.7° than September of last year, with an average rainfall three times as great. Monthly relative humidity was slightly above normal. Monthly sunshine was notably deficient. Wet periods of the first and third decades were separated by a long interval of generally fair weather from the 10th to the 22d, inclusive.

Temperature fluctuations were frequent. The warm periods were 1st-2d, 6-9th, 16-17th, and 19-25th, and the cool spells 3d-5th, 10-15th, 18th, and 26-30th. The warmest period was the 19-25th, and it culminated with summer temperatures on the 24th and 25th. The coolest spell was the 26-30th; it was ushered in by strong northwest winds during the night of the 25-26th, and was marked by overcast skies and northeast rains from the 27th to the 30th. Highest temperatures of the month ranged from 82° at Grantsville to 93° at Frederick and Millsboro, and the lowest temperatures from 35° at Grantsville to 54° at Crisfield.

Rainfall averaged one and one-half times the normal. It was unevenly distributed over the section and was confined to the first and third decades. It was abundant in all divisions, except over the southern portion of the Eastern Shore. The area of least monthly rainfall, 2 to 3 inches, embraced Sussex (except extreme northern portion), southern Caroline, eastern Dorchester, Wicomico, northern Somerset, and northern Worcester Counties, an area of about 50 miles square, with center a few miles to eastward of Delmar. Monthly amounts were between 3 and 4.5 inches in southern Maryland and between 4 and 6 inches generally over the northern half of the Eastern Shore and in Allegany and Garrett Counties. The area of greatest monthly rainfall, 5 to 7.5 inches, embraced the remainder of the section—Washington County, north-central Maryland, and the District of Columbia. Heavy showers occurred on the 2d, 6th, 9th, 23d, and 25th.

Damage by flood.—Heavy thundershowers in the evenings of the 23d and 25th caused streams to overflow their banks in Allegany, Washington, and western Frederick Counties. The resultant high waters swept away a number of bridges and damaged others, damaged highways by washing out entire sections, caused washouts of railroad beds, drowned scores of pigs and chickens, flooded homes and cellars, and carried away fences, fields of corn and other crops, etc. The heaviest damage occurred in southeastern Washington County and in the Middletown Valley of Frederick County. Loss of property and crops was estimated at \$750,000 and damage to highways at \$250,000.

Crops.—The weather of the month was favorable to late growing crops. The wet periods interfered with farming operations and greatly delayed sowing of grains. The first wet spell caused further damage to tomatoes, peaches, oats in shock, and hay. Good progress was made, however, in harvesting crops, preparing land for and sowing of grains, threshing oats in western counties, and cutting hay during the two weeks of fair weather from the 10th to the 22d, inclusive. Corn continued in good condition. Cutting of this crop began in the southern counties during the first decade and in the central and northern counties, except in western Maryland, during the second. Harvesting of sugar corn ended during the first half of the month. Late potatoes were maturing during the second half of the month. Digging of sweet potatoes, a fair to good crop, became general. Harvesting of tomatoes continued, with poor to fair yields. Three-fourths of the tobacco crop, a good one, was cut and housed. Trucks, gardens, minor crops, cowpeas, and soy beans continued good, and pastures and grasses good to excellent. Buckwheat was harvested in Garrett County.

Sowing of wheat was in progress over the divisions from Garrett County eastward to Chesapeake Bay during the fair-weather period.

Fruits.—Apples and pears continued in good to excellent condition, while peaches were further damaged by the wet weather of the first decade. Harvesting of apples and pears was general; harvesting of peaches, cantaloupes, and melons ended during the first half of the month.—J. B., jr.

PRESSURE

The monthly mean sea-level pressure at Washington and Baltimore was 30.11; at Aberdeen, 30.12 inches. The highest at Washington was 30.36; at Baltimore and Aberdeen, 30.37 inches—both on the 27th. The lowest at Washington and Baltimore was 29.77; at Aberdeen, 29.80 inches—both on the 9th.

TEMPERATURE

The monthly mean for the section, 67.9°, is 0.4° above normal. The highest monthly mean was 71.0° at Solomons; the lowest, 62.0°, at Grantsville. The highest temperature, 93°, occurred at Frederick on the 25th and at Millsboro on the 2d and 25th; the lowest, 35°, at Grantsville on the 11th. The greatest monthly range was 50° at Hancock; the least, 33°, at Crisfield. The greatest daily range was 40° at Oakland on the 1st.

PRECIPITATION

The monthly average for the section, 5.00 inches, is 1.74 inches above normal. The greatest monthly amount was 7.51 inches at Chewsville; the least, 2.11 inches, at Millsboro. The greatest 24-hour amount was 2.83 at Great Falls on the 25-26th. The average number of days with 0.01 inch or more, 11, is 4 above normal.

RELATIVE HUMIDITY

The average percentages of relative humidity were as follows: Washington, D. C., 8 a. m., 82; 12 noon, 67; 8 p. m., 82. Baltimore, Md., 8 a. m., 78; 12 noon, 65; 8 p. m., 78. Aberdeen, Md., 8 a. m., 85; 4 p. m., 70. Philadelphia, Pa., 8 a. m., 82; 12 noon, 69; 8 p. m., 76.

WIND

The prevailing direction for the section was northeast. The total movement at Washington was 3,601; at Baltimore, 6,282; at Aberdeen, 4,411 miles. The maximum velocity at Washington was 36 miles from the northwest on the 25th; at Baltimore, 39 miles from the northwest on the 9th; at Aberdeen, 48 miles from the northwest on the 6th.

SUNSHINE AND CLOUDINESS

At Washington 44 per cent of the possible sunshine was recorded; at Baltimore, 53 per cent; at Aberdeen, 58 per cent. For the whole section the average number of clear days was 10; partly cloudy, 10; cloudy, 10.

MISCELLANEOUS PHENOMENA (WITH DATES)

Damage by wind (thundergust).—On 25th: Eastern Washington County, in evening, from west; number of trees uprooted and others damaged. At Hagerstown a frame building and an implement shed were unroofed and a number of chimneys were blown down.

Fogs, dense.—Aberdeen, 20; Chewsville, 7; Clear Spring, 9, 22; Emmitsburg, 22, 30; Frederick, 6, 7, 22; Frostburg, 5, 30; Newburg, 9.

Frost, light.—Allegheny Mountain highlands, 11.

Thunderstorms.—2, 5, 6, 9, 20, 23, 24, 25.

Winds, high.—Westerly (thundergusts), 6, 9, 25; northwest, night 25-26. On the coast, northeast, 3; north, 10, 26; easterly, 13, 14, 15, 16, 17.

Climatological Data for September, 1926

Stations	Counties	Elevation, feet	Length of record, years	Temperature, in degrees Fahr					Precipitation, in inches				Number of days			Prevailing direction of wind	Observers				
				Mean	Departure from the normal	Highest	Date	Lowest	Date	Greatest daily range	Total	Departure from the normal	Greatest in 24 hours	Total snowfall (unmelted)	With precip. 0.01 inch or more			Clear	Partly cloudy	Cloudy	
<i>Maryland</i>																					
Aberdeen	Harford	80	8	66.8		86	25	49	27	23	5.83		1.58	0.0		9	8	10	12	ne.	U. S. Army.
Annapolis	Anne Arundel	45	61	69.2	-0.5	86	27	50	27	28	4.55	+0.63	1.75	0.0	12	14	9	7	s.	Joseph Stein.	
Baltimore		115	56	69.6	+1.1	92	25	51	27	27	4.19	+0.34	1.16	0.0	13	10	7	13	s.	U. S. Weather Bureau.	
Bell	Prince Georges	151	6	68.6		92	25	45	11	38	4.83		1.18	0.0	11	11	12	7	sw.	Bureau Plant Industry.	
Boysds	Montgomery	424	7	67.6		90	25	43	27	39	4.85		1.77	0.0	13	7	10	13	n.	James L. Higgins.	
Cambridge	Dorchester	25	33	69.5	-1.0	89	2	52	27	29	3.64	+0.57	1.32	0.0	7	10	12	8	nw.	Matt Harding.	
Cecilton	Cecil	85	8	68.5		91	25	45	27	32	5.37		1.53	0.0	10	9	8	13	s.	Geo. Hartnell.	
Cheltenham	Prince Georges	230	26	68.8	+0.6	91	25	45	27	34	3.92	+0.65	1.13	0.0	11	13	5	12	e.	Harold Steele.	
Chesapeake City	Cecil	17	7								4.99		1.29	0.0	10	11	10	9	nw.	D. Paul Oswald.	
Chewsville	Washington	530	29	66.4	+0.3	88	23	44	11	34	7.51	+4.64	1.80	0.0	14	10	10	10	se.		
Clear Spring (a)	do	500	24								6.36	+3.47	2.10	0.0	64	8	12	10		Leo A. Cobill.	
Clear Spring (b)	do	500	29								7.18	+3.77	2.24	0.0	12	8	10	11	se.	E. G. Kinsell.	
Coleman	Kent	80	29	68.7	-0.5	89	25	49	27	27	5.12	+1.90	1.21	0.0	12	9	10	11	ne.	Walter B. Harris.	
College Park	Prince Georges	87	40	69.0	+1.3	92	25	45	11	38	3.72		1.49	0.0	6	6	18	6	ne.	Prof. Thos. H. White.	
Crisfield	Somerset	5	7	70.1		87	2	54	12	27										A. B. Cochrane.	
Cumberland	Allegany	623	53	67.2	+1.8	89	23	45	11	36	4.90	+2.17	1.53	0.0	13	10	11	9		Harvey H. Weiss.	
Darlington	Harford	300	36	66.7	+0.2	89	25	42	27	33	7.50	+3.99	1.52	0.0	10	10	9	11	e.	Fred. C. Jones.	
Easton	Talbot	35	36	69.6	+1.0	90	27	46	27	33	4.05	+1.05	1.30	0.0	8	11	12	7	n.	Clement E. Bray.	
Emmitsburg	Frederick	720	58			87	25	46	27	29			1.18	0.0					w.	Mt. St. Mary's College.	
Fallston	Harford	450	57	65.7	-0.3	88	24	44	27	27	6.67	+2.63	2.15	0.0	16	11	8	11	ne.	Miss Dora Curtiss.	
Ferry Landing	Calvert	45	10	68.8		89	27	47	27	30	4.39		1.38	0.0	10	14	11	5	ne.	Thos. J. Bourne.	
Frederick	Frederick	275	52	68.6	+1.2	93	25	46	27	36	6.52	+3.37	1.89	0.0	15	9	10	11	ne.	Chas. S. Birely.	
Friendsville	Garrett	1,501	8	64.9		86	22	39	27	39	6.10		1.50	0.0	11	12	5	13		Joab J. Friend.	
Frostburg	Allegany	1,929	25	64.9	+0.2	87	6	41	27	35	5.67	+2.42	1.81	0.0	13	11	8	11	w.	J. D. Snyder.	
Grantsville	Garrett	2,351	33	62.0	+0.8	82	5	35	11	38	5.01	+2.15	1.50	0.0	14	3	10	17	w.	C. S. Zeller.	
Great Falls	Montgomery	200	37	68.8	+0.9	92	24	45	27	37	6.65	+3.37	2.83	0.0	12	7	11	12	s.	Chas. E. Sullivan.	
Hancock	Washington	455	16	66.8	-1.0	90	23	40	27	39	5.58	+2.70	2.10	0.0	15	10	9	11	se.	American Fruit Growers	
Keedysville	do	400	22	68.4	+0.8	90	23	45	11	37	6.87	+3.99	1.64	0.0	15	10	8	12	se.	J. A. Miller.	
Laurel	Prince Georges	320	32	67.6	0.0	91	25	46	27	30	4.16	+0.82	1.04	0.0	15	9	10	11	ne.	Evan G. Chaney.	
Maryland Line	Baltimore	840	2	65.6		88	25	43	27	30	6.89		2.14	0.0	10	11	11	8	e.	Chester L. Fulton.	
Millington	Kent	27	29	68.4	0.0	89	25	46	27	32	5.28	+1.70	1.30	0.0	9	13	7	10	w.	Henry L. Higman.	
Newburg	Charles	110	1	69.7		90	27	49	27	29	3.12		1.18	0.0	10	13	8	9	ne.	John P. Burdette.	
Oakland	Garrett	2,461	27	62.8	+2.1	83	22	37	11	40	4.32	+1.17	0.68	0.0	15	6	14	10	w.	R. E. Weber.	
Pleasant Hill	Baltimore	660	2								5.79		1.50	0.0	14	7	10	13	ne.	J. E. Henry.	
Pocomoke City	Worcester	37	22								3.96	+0.96	1.78	0.0	6					Rev. Louis L. Williams.	
Princess Anne	Somerset	17	51	68.8	0.0	91	2	47	12	36	3.00	+0.23	1.31	0.0	7	6	13	11	ne.	James R. Stewart.	
Public Landing	Worcester	10	11	69.2	+0.9	90	2	46	19	32	4.21	+1.58	1.53	0.0	5	9	7	14	e.	Louis C. de Guibert.	
Ridgely	Caroline	57	36	68.4	-0.2	88	27	47	27	29	4.82	+1.75	1.85	0.0	8	11	12	7	ne.	Albert White.	
Rock Hill	Kent	25	11	69.4	+0.1	89	6	45	27	29	5.15	+1.26	1.74	0.0	13	11	11	8	s.	Charles Judefin.	
Salisbury	Wicomico	23	21	69.9	+0.8	89	27	48	12	32	2.44	-0.74	1.00	0.0	6	12	10	8	ne.	Homestead Dairy Farms.	
Solomons	Calvert	20	35	71.0	-0.5	91	2	52	26	30	3.08	+0.43	1.10	0.0	8	6	11	13	ne.	Dr. W. H. Marsh.	
State Sanatorium	Frederick	1,460	18	66.3	+1.0	83	24	48	27	29	5.89	+1.98		0.0	15					Dr. V. F. Cullen.	
Takoma	Montgomery	320	28	67.0	0.0	88	25	48	27	25	4.57	+1.18	1.30	0.0	11	7	12	11		L. M. Moores.	
Western Port	Allegany	1,000	33	68.0	+1.5	92	5	44	27	37	4.82	+2.24	1.05	0.0	13					Norris Bruce.	
Westminster	Carroll	770	17	66.8	-1.2	90	25	47	11	30	5.81	+1.90	1.41	0.0	16	12	11	7		Prof. S. P. Caltrider.	
Woodstock	Baltimore	415	56	67.2	+1.1	89	25	42	27	35	5.86	+2.27	1.28	0.0	14	11	8	11	ne.	Rev. J. A. Pollock, S. J.	
<i>Dist. of Columbia</i>																					
Washington		112	56	69.0	+0.9	91	25	50	27	29	6.80	+3.21	2.56	0.0	12	4	13	13	n.	U. S. Weather Bureau.	
<i>Delaware</i>																					
Bridgeville	Sussex	45	35	68.6	+0.1	89	27	46	27	33	2.25	-0.73	1.00	0.0	9	12	13	5	ne.	George Ray.	
Delaware City	Newcastle	10	40	68.6	+0.2	90	25	48	27	33	4.31	+1.09	1.03	0.0	11	12	9	9	ne.	G. E. Vail.	
Dover	Kent	34	37	69.0	+0.6	92	25	47	27	33	5.17	+1.72	1.40	0.0	10	13	10	7	sw.	Arthur G. Livingston.	
Millford	do	20	44	69.2	-0.1	90	25	47	12	36	3.56	+0.14	1.07	0.0	9	13	11	6	ne.	Chas. J. Holzmueller.	
Millsboro	Sussex	20	34	69.3	+0.5	93	27	46	12	37	2.11	-0.84	0.96	0.0	7	14	9	7	ne.	Rev. M. P. S. Huntington.	
Wilmington	Newcastle	86	33	66.8	-1.9	87	25	44	27	35	5.46	+2.01	1.62	0.0	10	12	7	11	ne.	Street and Water Depts.	
For Maryland and District of Columbia				67.8	+0.5	93	25	35	11	40	5.15	+1.89	2.83	0.0	11	10	10	10	ne.		
For Delaware				68.5	+0.1	93	27	44	27	37	3.81	+0.57	1.62	0.0	7	13	10	7	ne.		
For entire section				67.9	+0.4	93	27	35	11	40	5.00	+1.74	2.83	0.0	11	10	10	10	ne.		

The departures from normal temperature and precipitation are computed only for such stations as have ten or more years of record, but all complete reports are used in determining section or division means. Data in italics determined from surrounding stations. T. Precipitation is less than 0.01 inch rain or melted snow. Reference letters, a, b, c, appearing in the table indicate number of days missing; for example, b represents two days, etc. Post office addresses of these stations are as follows: Of Bell, Glendale; of Coleman, Worton; of Fallston, Bagley; of Ferry Landing, Owings; of Great Falls, Bethesda; of Pleasant Hill, Owings Mills; of Public Landing, Snow Hill. *Also on other dates. *Customhouse Building, Gay and Water Streets. **Weather Bureau Building, 24th and M Streets.

Daily Precipitation for September, 1926

Station	Watersheds	Day of month																															Total				
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31					
<i>Maryland</i>																																					
Aberdeen**	Atlantic	.30		T	T	1.58				.90														1.35	.21	.48		T	.54	.06	.41	5.83					
Annapolis	do	.06	.33	.03		.20	1.01			1.75														.55	.19				.03	.22	.18	4.55					
Baltimore***	do	.19	.01	.01	.07	.71				.47			T										1.06	.24	.18	.01	.11	.61	.52	.18	4.19						
Bell	do		1.18	.02		.08	.82			1.03														.49		.77	.02	.14	.15	.13	4.83						
Boyd's	do	T	.20	.02		1.75	.02			.57													.02	.93	.55	.07	T	*	.32	.05	4.85						
Cambridge	do	.62					1.32			1.17														*		*		*	.53		3.64						
Cecilton	do	1.08	.02	T		1.53				.75													.69	.39	.15		.08	.48	.30	5.37							
Cheltenham	do	.50	.39	.03		.04	.55			.63													T	1.13	*		.26	.17	.22	3.92							
Chesapeake City	do	1.14	.02			1.29				.79													T	.35	*	.90		.10	.30	.10	4.99						
Chesville	do	.76	.02	.06	*	1.37				.81													1.62	.50	1.72	.08	T	.29	.15	.02	7.51						
Clear Spring (a)	do									.65																											
Clear Spring (b)	do	.54	.02	.15	.22	1.49																	2.05	.05	.48			.05	.19	.01	6.36						
Coleman	do	.96	.02	T		2.00	.24			1.10	.14												*	.62	.99	.26	T	.55	.30		7.18						
College Park	do	.97	.04			1.02	.19			.52														.70	.04	1.14		.19	.16	.15	5.12						
Crisfield	do	.17	.70	.02		1.49				1.20																						3.72					
Cumberland III	do	1.10	.43	.28	.20	.18	.19			T													.07			.40	1.23	.04	.20		.42	.16	4.90				
Darlington	do	.60		T		1.52				.62														.98	1.35	.29	1.39	T	.40	.20	.15	7.50					
Easton	do	.38	.13			1.30				1.23	.08													T	.60	*		.18	.15		4.65						
Emmitsburg	do																							.07	.48	1.00	.18	.01	.50	.26	.05						
Fallston	do	.66	.03	.02	T	2.09	.06			.50	.04													.08	1.17	.48	.56	.06	.34	.31	.24	6.87					
Ferry Landing	do	.35	.23			1.15	.23			.59														1.07		.18		.10	.16	.33	4.39						
Frederick	do	.33	.06	.10	.01	.64	T			1.09	T													.77	.01	.01	1.89	.06	.89	T	.34	.26	6.52				
Friensburg	Ohio	1.00	.05	.50	T	.50																		.96		1.05	.21	* 1.50	T	*	.33	6.10					
Frostburg	Atlantic	1.20	.36	.39	.35	.33				.04																1.81	.32	.38	.22	T	.11	.10	.06				
Grantsville	Ohio	1.50	.01	.30	.15	.48				T														.40		.64	.07	.83	.04	.13	.23	.03	5.01				
Great Falls III	Atlantic		1.78	.10	T	.11	.23			.98															.30	.03	2.83		.04	.22	.03	6.65					
Hancock	do	.78	.02	.21	*	.67				.43														2.00	.10	.10	.08	T	.14	.05	.03	5.58					
Kedysville	do	.63	.05	.05	.02	1.46				.68															.02	1.62	1.12	.23	.02	.17	.23	.02	6.87				
Laurel	do	T	.22	.03		.89	.15	.01		.75	.02															.74	.03	.85	.02	.16	.20	.09	4.16				
Maryland Line	do	.55		.08	T	.87				.95															.27	1.87	* 1.30	T	.60	.40		6.89					
Millington	do	.58	.01	T		1.30				1.17																.49	.24	.50		.06	.31	5.28					
Newburg	do	.35	.02	T		1.01	.17			.77																		.05	.06	.19	.33	3.12					
Oakland	Ohio	.64	.40	.22	.02	.46				.05																	.36	.09	.33	T		4.32					
Pleasant Hill	Atlantic	.40	.03	T	.02	1.50				.85																	.80	*	1.06	*	.82	.22	.09	5.79			
Pocomoke City	do	1.06	.06			1.73				.93																			.05	.08		3.96					
Princess Anne	do	.46				1.25	.06			.88	.17																		.07	.11		3.00					
Public Landing	do	1.45				1.53				.98																			.20	.05		4.21					
Ridgely	do	.42	.12			1.85				1.12																			.40	.10		4.82					
Rock Hall	do	.35	.07	.08		1.2	.62			1.50	.38															.07	.35	.06	.38		.03	.27	.25	5.15			
Salisbury	do	.74	.17			1.00				.30																			.18	.05		2.44					
Solomons	do	.51	.32			1.10				.56																			.26	.27		3.08					
State Sanatorium	do	.60		.34	.01	1.17				.62	.70																	.05	* 1.95	.10	.10	.55	.20	5.89			
Takoma III	do	.91	.05	T	.07	.70				.70																	.56	T	1.80		.10	.15	4.57				
Western Port	do	.75	.20	.70	.18	.24				T																		.30		.20	.10	.05	4.82				
Westminster	do	.70	.05	.03	.03	.67	.03			1.41																		.01	.08	.45	.66	.62	.10	.58	.32	5.81	
Woodstock	do	.53	.05	.02	.01	.74	.43			.33																		.14	.66	1.28	.77	T	.25	.38	.07	5.86	
<i>District of Columbia</i>																																					
Washington***	Atlantic	2.47	.09	.06	.03	1.08				.79																		.79	T	.89	.02	.13	.11	T	.34	6.80	
<i>Delaware</i>																																					
Bridgeville	Atlantic	.05	.05			1.00				.67																			.08		.02	.02		.28	.08	2.25	
Delaware City	do	.79	.01			1.03				.54																			.26	.53	.14	.20	T	.13	.60	.08	4.31
Dover	do	.84	.02			1.40				.90																			.27	.03	.17		.06	1.29	.19	5.17	
Milford	do	.15	.10			1.07				1.00																			.15		.07		.83	.16	3.56		
Millsboro	do	.43	.10	T		.96				.25																				T	.27	.03		2.11			
Wilmington	do	.54	T			1.62				.86																			.96	.17	.30	.01	.26	.59	.15	5.46	

Except as otherwise indicated observations are generally made late in the afternoon, near sunset, and precipitation recorded is for the 24 hours ending at the time of observation.

*** Regular Weather Bureau station; precipitation is for the 24-hour period, midnight to midnight. ** Precipitation is for 24-hour period, midnight to midnight.

||| Precipitation measured in the morning; amount then recorded is for the preceding 24 hours. * Precipitation included in the next following measurement.

T. Trace, or less than 0.01 inch. Data in italics determined from surrounding stations.

COMPARATIVE DATA FOR MARYLAND AND DELAWARE FOR SEPTEMBER

Year	Temperature				Precipitation						Year	Temperature				Precipitation						Number of days with 0.01 inch or more	
	Mean	Departure from the normal	Highest	Lowest	Average	Departure from the normal	Greatest local	Least local	Greatest in 24 hours	Snowfall		Number of days with 0.01 inch or more	Mean	Departure from the normal	Highest	Lowest	Average	Departure from the normal	Greatest local	Least local	Greatest in 24 hours		Snowfall
1895	70.6	+3.1	101	27	2.04	-1.22	5.90	0.24	4.80	0.0	4	1911	69.3	+1.3	95	30	2.72	-0.54	6.38	0.92	2.18	0.0	7
1896	68.6	-0.9	98	29	4.33	+1.07	8.07	1.13	4.50	0.0	11	1912	69.3	+1.3	102	30	5.77	-2.51	9.85	2.07	6.07	0.0	11
1897	68.5	-0.7	100	22	1.83	+1.33	3.37	0.50	2.17	0.0	7	1913	66.8	-0.7	102	22	2.83	-0.43	5.31	1.32	3.26	0.0	4
1898	69.5	+2.1	100	29	1.85	+1.44	4.28	0.51	2.50	0.0	6	1914	64.3	-2.5	98	31	0.93	-1.23	3.09	0.49	1.36	0.0	7
1899	65.9	+1.0	99	29	4.76	+0.14	6.43	0.40	5.35	0.0	8	1915	69.4	+1.9	98	26	2.05	+1.20	5.19	0.45	3.10	0.0	7

Daily Temperatures for September, 1926

Table with columns for Stations, days 1-31, and Mean. Rows list various Maryland and Delaware stations such as Aberdeen, Annapolis, Baltimore, etc., with their respective daily temperature ranges and monthly averages.

a, b, etc., indicate respectively 1, 2, 3, etc., days missing from the record. Instruments are read in the morning; the maximum temperature then read is charged to the preceding day, on which it almost always occurs. Temperatures at Aberdeen, Baltimore, and Washington are from midnight to midnight; at other stations, except Cumberland and Takoma they are for the 24-hour period ending late in the afternoon, near sunset. Data in italics determined from surrounding stations.