



JUNE 2003

LOCAL CLIMATOLOGICAL DATA

NOAA, National Climatic Data Center

WILMINGTON, DE

NEW CASTLE COUNTY AP (ILG)
 Lat: 39° 40' N Long: 75° 36' W Elev (Ground): 92 Feet
 Time Zone: EASTERN WBAN: 13781 ISSN #: 0198-117X

DATE	TEMPERATURE °F							DEG DAYS BASE 65°		WEATHER	SNOW/ICE ON GND (IN)		PRECIPITATION (INCHES)		PRESSURE (INCHES OF HG)		WIND SPEED = MPH DIR = TENS OF DEGREES								DATE																													
	MAXIMUM	MINIMUM	AVERAGE	DEP FROM NORMAL	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	0700 LST		1300 LST	2400 LST	2400 LST	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	MAXIMUM																																			
																			5-SEC		2-MIN																																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																															
01	61	51	56	-11	51	54	9	0	RA BR	0		0.0	0.05	29.47	29.56	16.7	30	17.3	37	31	29	31	01																															
02	71	45*	58	-10	43	51	7	0		0		0.0	0.00	29.88	29.96	7.6	28	8.8	22	27	17	31	02																															
03	66	51	59	-9	52	55	6	0	RA BR	0		0.0	0.44	29.92	30.01	3.2	12	6.9	20	10	16	05	03																															
04	58	51	55*	-13	54	55	10	0	RA BR	0		0.0	0.68	29.78	29.86	10.5	04	10.6	22	02	18	04	04																															
05	74	56	65	-3	45	54	0	0	RA BR HZ	0		0.0	0.19	29.76		8.1	28	8.5	28	28	23	27	05																															
06	72	52	62	-7	47	55	3	0		0		0.0	0.00	29.92	30.01	4.8	28	6.8	21	32	16	30	06																															
07	65	59	62	-8	61	61	3	0	TSRA RA BR	0		0.0	1.44	29.80	29.88	4.8	06	7.4	20	12	16	11	07																															
08	64	59	62	-8	61	61	3	0	RA BR	0		0.0	0.01	29.80	29.88	3.3	07	5.9	15	17	13	16	08																															
09	78	58	68	-2	62	64	0	3	RA BR	0		0.0	T	29.79	29.87	4.4	20	6.4	18	24	15	24	09																															
10	79	57	68	-2	61	64	0	3		0		0.0	0.00	29.95	30.03	5.3	15	7.1	21	15	18	15	10																															
11	84	63	74	4	69	71	0	9	TSRA RA BR VCTS	0		0.0	0.21	29.84	29.92	6.0	19	7.7	21	21	16	21	11																															
12	84	68	76	6	71	72	0	11	TSRA RA BR SQ	0		0.0	1.38	29.83	29.92	3.6	18	6.4	40*	22	30*	22	12																															
13	82	68	75	4	72	73	0	10	TS TSRA RA BR VCTS	0		0.0	0.62	29.80	29.88	4.3	15	5.5	26	15	21	17	13																															
14	86	69	78	7	71	72	0	13	TSRA RA BR VCTS	0		0.0	0.04	29.80	29.88	4.1	25	5.4	28	25	21	25	14																															
15	80	66	73	1	64	67	0	8	BR	0		0.0	0.00	29.90	29.98	2.7	31	5.8	14	36	10	36	15																															
16	73	56	65	-7	54	59	0	0		0		0.0	0.00	30.12	30.21	9.3	07	11.2	23	04	17	06	16																															
17	67	53	60	-12	55	57	5	0	RA BR	0		0.0	0.36	30.14	30.23	5.8	11	8.0	15	15	14	16	17																															
18	76	58	67	-6	64	65	0	2	RA BR	0		0.0	0.52	29.87	29.95	1.1	08	4.5	10	36	9	16	18																															
19	76	66	71	-2	68	69	0	6	RA BR	0		0.0	0.24	29.72	29.80	2.7	12	3.8	14	31	13	31	19																															
20	67	63	65	-8	64	65	0	0	RA FG BR	0		0.0	3.58	29.75	29.83	4.8	03	8.9	22	01	18	02	20																															
21	66	58	62	-11	61	62	3	0	RA BR	0		0.0	0.03	29.75	29.83	3.5	34	5.8	16	03	14	04	21																															
22	73	58	66	-7	60	62	0	1	RA	0		0.0	T	29.74	29.82	7.2	31	7.7	22	32	18	31	22																															
23	88	61	75	1	62	67	0	10		0		0.0	0.00	29.76	29.85	7.7	29	8.1	23	29	20	29	23																															
24	92	65	79	5	62	69	0	14		0		0.0	0.00	29.91	29.99	7.1	30	8.0	15	29	13	29	24																															
25	91	65	78	4	65	71	0	13		0		0.0	0.00	29.91	30.00	6.5	29	7.2	21	28	16	29	25																															
26	93*	72	83*	9	71	75	0	18	BR HZ	0		0.0	0.00	29.80	29.88	4.5	27	5.8	15	28	10	27	26																															
27	89	71	80	6	68	72	0	15	RA BR HZ VCTS	0		0.0	0.11	29.78	29.86	7.1	30	7.5	26	29	23	30	27																															
28	79	64	72	-3	60	65	0	7	RA	0		0.0	T	30.00	30.08	2.7	16	8.5	16	17	15	17	28																															
29	83	68	76	1	69	71	0	11	RA BR HZ	0		0.0	T	30.06	30.14	6.8	15	7.1	17	16	15	16	29																															
30	89	70	80	5	67	71	0	15	RA BR HZ VCTS	0		0.0	T	30.04	30.12	4.1	30	5.4	17	30	15	30	30																															
MONTHLY AVERAGES											TOTALS-->		0.0		9.90		29.85		0.8		35		7.5		<-- MONTHLY AVERAGES																													
-4.2				-1.1				-2.7				DEPARTURE FROM NORMAL											6.31				SUNSHINE, CLOUD, & VISIBILITY TABLES ON PAGE 3																											
DEGREE DAYS											GREATEST 24-HR PRECIPITATION: 3.73 DATE: 19-20											SEA LEVEL PRESSURE											DATE		TIME																			
MONTHLY TOTAL DEPARTURE											GREATEST 24-HR SNOWFALL: 0.0 DATE:											MAXIMUM											: 30.31		16 2351																			
SEASON TO DATE TOTAL DEPARTURE											GREATEST SNOW DEPTH: 0 DATE:											MINIMUM											: 29.29		01 0351																			
HEATING: 49 34 5413 525											NUMBER OF DAYS WITH											MAXIMUM TEMP ≥ 90: 3											MINIMUM TEMP ≤ 32: 0											PRECIPITATION ≥ 0.01 INCH: 16										
COOLING: 169 -46 187 -101											MAXIMUM TEMP ≤ 32: 0											MINIMUM TEMP ≤ 0: 0											PRECIPITATION ≥ 0.10 INCH: 12																					
											THUNDERSTORMS: 5											HEAVY FOG: 0											SNOWFALL ≥ 1.0 INCH: 0																					

JUNE 2003 WILMINGTON, DE

HOURLY PRECIPITATION

(WATER EQUIVALENT IN INCHES)

WILMINGTON, DE

JUNE 2003 ILG WBAN # 13781

DATE	FOR HOUR (LST) ENDING AT												DATE	FOR HOUR (LST) ENDING AT												DATE	Sum if Different (See Note)	2400 LST	
	1	2	3	4	5	6	7	8	9	10	11	12		13	14	15	16	17	18	19	20	21	22	23	24			Water	Equiv.
01													01	T			T	T	T						01			0.05	
02		T	T	T	0.01	0.01	0.02	T	0.01	T		T	02												02			0.00	
03													03			T	T	0.04	0.01	0.01	0.02	0.01	0.05	0.19	0.10	0.43	0.44		
04	0.02	0.03	0.19	0.20	0.03	T	0.01	T	T	T	T	T	04	0.01	0.02	0.02	0.02	0.06	0.03	T				04			0.65		
05	0.22			T	0.01			T					05											05			0.23		
06													06											06			0.00		
07						T	0.01	0.01	0.03	0.14	0.27	0.11	07	0.15	0.14	0.26	0.19	0.05	0.08					07			1.44		
08													08							T	0.01			08			0.01		
09	T	T		T									09											09			T		
10													10											10			0.00		
11													11											11			0.21		
12													12							0.75	0.16	0.06	0.02	0.09	0.10		0.21		
13	T	0.01	T	0.02									13									0.51	0.04	T	T	0.61	1.38		
14	0.01												14			0.02	T				0.01	0.02	0.01	0.01	0.01	0.05	0.62		
15													15												15			0.04	
16													16												16			0.00	
17													17					T	0.01	T	0.01	0.10	0.06	0.16	0.34	0.36			
18	0.18	0.11	0.04	0.06	0.09	0.06	T						18											18			0.52		
19					0.02	0.03	0.01	T	0.01	T	T	T	19											19			0.24		
20	T									0.09	0.53	0.17	20	0.12	0.59	0.72	0.79	0.22	0.14	0.12	0.05	T	0.02	0.14	0.03	0.24			
21			T	T					T	T	T	T	21	0.01	T		T				0.01	T		21			3.58		
22					T								22											22			0.03		
23													23											23			T		
24													24											24			0.00		
25													25											25			0.00		
26													26											26			0.00		
27													27			0.11								27			0.11		
28													28											28			T		
29	T	T											29										T	29			T		
30													30											30			T		

MAXIMUM SHORT DURATION PRECIPITATION (See Note)

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (Inches)	.38	.50	.55	.56	.65	.90	1.10	1.36	1.48	1.64	2.00	2.15
Ending Date	12	12	12	12	20	20	20	20	20	20	20	20
Ending Time (Hour/Min)	2059	1820	1821	1825	1509	1524	1523	1528	1546	1520	1535	1602

Date and time are not entered for TRACE amounts.

Note : The sum of the hourly totals is given when it differs from the daily total. NWS does not edit ASOS hourly values but may edit daily and monthly totals. Hourly, daily, and monthly totals are printed as reported by the ASOS site.

REFERENCE NOTES & SUPPLEMENTAL SUMMARIES

* = Extreme for the month (last occurrence if more than one)

T = Trace precipitation amount

+ = also occurs on earlier date

FG+ = Heavy fog, visibility .25 miles or less

BLANK entries denote missing or unreported data

Resultant wind is the vector sum of the wind speeds and directions divided by the number of observations.

Wind direction is recorded in tens of degrees (2 digits) clockwise from true north. '00' = calm, 'VR' = variable.

Precipitation is for the 24-hour period ending at the time indicated in the column heading.

Water Equivalent of snow on the ground is reported only when the depth is 2 or more inches.

NORMALS ARE FOR THE YEARS 1971–2000

WEATHER NOTATIONS

QUALIFIER	WEATHER PHENOMENA		
	PRECIPITATION	OBSCURATION	OTHER
BC Patches	DZ Drizzle	BR Mist	DS Duststorm
BL Blowing	GR Hail	DU Widespread Dust	FC Funnel Cloud
DR Low Drifting	GS Small Hail and/or Snow Pellets	FG Fog	+FC Tornado Waterspout
FZ Freezing	IC Ice Crystals	FU Smoke	PO Well-Developed Dust/Sand Whirls
MI Shallow	PL Ice Pellets	HZ Haze	SQ Squalls
PR Partial	RA Rain	PY Spray	SS Sandstorm
SH Shower(s)	SG Snow Grains	SA Sand	GL Glaze
TS Thunderstorm	SN Snow	VA Volcanic Ash	
VC In the Vicinity	UP Unknown Precipitation		

Intensity (as indicated on pages 4 to 6):
'+' = Heavy ' ' = Moderate '-' = Light

WILMINGTON, DE JUNE 2003

Ceilometer (30-second) data are used to derive cloudiness at or below 12,000 feet. This cloudiness is the mean cloud cover detected during sunrise to sunset (SR–SS), or midnight to midnight (MN–MN).

Satellite data are used to derive cloudiness above 12,000 feet. Effective Cloud Amount is based on the cloud cover and the transparency of the clouds within the satellite field of view (approx. 31x31 miles).

Sky Condition is based on the sum (not to exceed 8) of the sunrise to sunset cloud cover below and above 12,000 feet. Both ceilometer and satellite data must be present to compute Sky Condition. Clear = 0–2 oktas, Partly Cloudy = 3–6 oktas, Cloudy = 7–8 oktas.

A Heating (Cooling) Degree Day is the difference between the average daily temperature and 65 degrees F. The HDD season begins July 1, the CDD season begins January 1.

Dew Point is the temperature to which the air must be cooled to achieve 100% relative humidity. Wet Bulb is the temperature the air would have if cooled to saturation at constant pressure by evaporation of water into it.

Snow Depth, Snowfall, and Sunshine data may come from nearby sites that the National Weather Service deems Climatologically representative of this site.

ADDITIONAL NOTES:

DATE	SUNSHINE		CLOUDINESS (OKTAS)				VISIBILITY (MILES)		RESERVED
	TOTAL MINUTES	PERCENT POSSIBLE	SR–SS		MN–MN		MINIMUM	MAXIMUM	
			CEILOMETER	SATELLITE	CEILOMETER	SATELLITE			
01							5.00	10.00	
02							10.00	10.00	
03							3.00	10.00	
04							1.50	10.00	
05							1.50	10.00	
06							8.00	10.00	
07							1.00	8.00	
08							1.50	10.00	
09							2.50	10.00	
10							7.00	10.00	
11							1.50	10.00	
12							.50	10.00	
13							1.50	10.00	
14							.75	10.00	
15							4.00	10.00	
16							10.00	10.00	
17							4.00	10.00	
18							1.25	10.00	
19							.75	10.00	
20							.50	8.00	
21							2.00	10.00	
22							10.00	10.00	
23							8.00	10.00	
24							9.00	10.00	
25							8.00	10.00	
26							3.00	7.00	
27							1.75	10.00	
28							10.00	10.00	
29							5.00	10.00	
30							2.00	10.00	
MONTHLY AVGS							4.28	9.77	
SUNSHINE (MINUTES)									
Total: Possible: Percent Possible:									
NUMBER OF DAYS WITH:									
SKY CONDITION									
CLR PTLY CLDY CLOUDY MISSING 30									
MINIMUM VISIBILITY (MILES)									
<=0.25 <=3.0 >=7.0 0 17 9									

OBSERVATIONS AT 3-HOURLY INTERVALS

WILMINGTON, DE


JUNE 2003

ILG

WBAN # 13781

HOUR (LST)	SATELLITE		WEATHER	TEMPERATURE °F				WIND		PRESSURE (INCHES, HG)		HOUR (LST)	SATELLITE		WEATHER	TEMPERATURE °F				WIND		PRESSURE (INCHES, HG)				
	SKY COVER	CEILING 100'S OF FT		OBSERVATION TIME (LST)	EFF CLD AMT Oktas	VISIBILITY (MILES)	DRY BULB	DEW POINT	WET BULB	RELATIVE HUMIDITY (PCT)	SPEED (MPH)		DIRECTION TENS OF DEG	STATION		SEA LEVEL	OBSERVATION TIME (LST)	EFF CLD AMT Oktas	VISIBILITY (MILES)	DRY BULB	DEW POINT	WET BULB	RELATIVE HUMIDITY (PCT)	SPEED (MPH)	DIRECTION TENS OF DEG	STATION
SUNRISE: 0437				JUN 01				SUNSET: 1923				SUNRISE: 0435				JUN 07				SUNSET: 1927						
01	OVC	014		8.00	59	58	58	96	5	23	29.23	29.31	01	CLR	NC		6.00	BR	61	60	60	97	3	15	29.94	30.03
04	OVC	014		10.00	60	57	58	90	15	28	29.21	29.29	04	CLR	NC		6.00	BR	60	59	59	96	5	08	29.90	29.99
07	OVC	024		10.00	55	52	53	90	20	30	29.27	29.36	07	BKN	090		3.00	-RA BR	60	60	60	100	5	04	29.89	29.98
10	OVC	022		10.00	58	51	54	78	25	31	29.36	29.45	10	OVC	015		1.75	+RA BR	61	61	61	100	7	07	29.84	29.93
13	SCT	NC		10.00	59	50	54	72	24	31	29.49	29.57	13	OVC	006		1.50	RA BR	62	62	62	100	9	12	29.74	29.83
16	SCT	NC		10.00	56	48	52	75	25	31	29.59	29.68	16	OVC	006		4.00	-RA BR	65	65	65	100	3	08	29.68	29.77
19	CLR	NC		10.00	59	48	53	67	18	31	29.68	29.77	19	OVC	005		7.00		63	63	63	100	10	03	29.70	29.78
22	CLR	NC		10.00	54	44	49	69	9	31	29.74	29.83	22	OVC	005		7.00		60	60	60	100	8	01	29.74	29.83
SUNRISE: 0437				JUN 02				SUNSET: 1924				SUNRISE: 0435				JUN 08				SUNSET: 1928						
01	CLR	NC		10.00	50	44	47	80	6	28	29.79	29.88	01	OVC	007		8.00		59	59	59	100	7	34	29.74	29.83
04	CLR	NC		10.00	47	42	45	83	8	29	29.82	29.90	04	OVC	007		7.00		59	59	59	100	6	35	29.75	29.84
07	CLR	NC		10.00	54	40	47	59	10	30	29.88	29.96	07	OVC	011		9.00		61	60	60	97	7	02	29.80	29.89
10	CLR	NC		10.00	64	40	52	41	9	29	29.90	29.99	10	OVC	015		10.00		62	60	61	93	7	08	29.81	29.90
13	CLR	NC		10.00	68	41	54	38	8	27	29.89	29.98	13	OVC	011		8.00		63	62	62	97	3	10	29.82	29.91
16	CLR	NC		10.00	71	43	56	36	12	30	29.86	29.94	16	OVC	011		7.00		63	63	63	100	5	13	29.80	29.89
19	CLR	NC		10.00	67	44	55	44	7	24	29.88	29.97	19	OVC	005		1.50	BR	62	62	62	100	7	13	29.80	29.89
22	CLR	NC		10.00	59	47	53	64	7	22	29.92	30.01	22	OVC	010		8.00		60	60	60	100	6	14	29.81	29.90
SUNRISE: 0436				JUN 03				SUNSET: 1925				SUNRISE: 0435				JUN 09				SUNSET: 1928						
01	CLR	NC		10.00	56	48	52	75	6	24	29.92	30.01	01	OVC	055		5.00	-RA BR	59	59	59	100	6	11	29.77	29.86
04	CLR	NC		10.00	53	50	51	89	3	28	29.94	30.03	04	OVC	015		5.00	BR	59	59	59	100	0	00	29.73	29.81
07	CLR	NC		10.00	59	53	56	81	0	00	29.96	30.05	07	OVC	022		3.00	BR	60	60	60	100	0	00	29.77	29.85
10	CLR	NC		10.00	65	50	57	59	7	24	29.97	30.05	10	OVC	019		10.00		65	62	63	90	3	VR	29.81	29.90
13	BKN	100		10.00	66	52	58	61	9	08	29.92	30.00	13	SCT	NC		10.00		72	64	67	76	9	15	29.78	29.87
16	OVC	040		8.00	62	57	59	84	14	17	29.91	30.00	16	SCT	NC		10.00		77	62	68	60	14	23	29.77	29.86
19	OVC	039		10.00	58	52	55	81	8	09	29.89	29.98	19	CLR	NC		10.00		74	63	67	69	8	21	29.79	29.88
22	OVC	024		4.00	52	50	51	93	9	08	29.88	29.96	22	CLR	NC		10.00		67	64	65	91	6	23	29.85	29.93
SUNRISE: 0436				JUN 04				SUNSET: 1925				SUNRISE: 0434				JUN 10				SUNSET: 1929						
01	OVC	006		9.00	52	50	51	93	10	05	29.83	29.91	01	CLR	NC		10.00		63	62	62	97	0	00	29.88	29.97
04	OVC	004		3.00	52	52	52	100	14	05	29.79	29.88	04	CLR	NC		9.00		59	59	59	100	3	30	29.90	29.99
07	OVC	003		3.00	53	52	52	96	12	03	29.79	29.88	07	CLR	NC		10.00		68	58	62	70	0	00	30.00	30.09
10	OVC	005		2.00	54	53	53	97	12	05	29.79	29.88	10	CLR	NC		10.00		75	58	65	55	3	23	29.99	30.08
13	OVC	005		1.50	57	56	56	96	12	04	29.78	29.86	13	CLR	NC		10.00		78	62	68	58	12	15	29.95	30.04
16	OVC	007		1.50	58	57	57	97	10	04	29.75	29.83	16	FEW	NC		10.00		77	61	67	58	16	15	29.94	30.03
19	OVC	005		8.00	58	57	57	97	9	05	29.75	29.83	19	CLR	NC		10.00		69	60	64	73	9	16	29.93	30.02
22	OVC	003		1.50	57	56	56	96	6	03	29.76	29.85	22	CLR	NC		10.00		66	65	65	96	6	13	29.94	30.03
SUNRISE: 0436				JUN 05				SUNSET: 1926				SUNRISE: 0434				JUN 11				SUNSET: 1929						
01	OVC	005		1.50	57	56	56	96	7	30	29.74	29.83	01	BKN	065		7.00		65	65	65	100	3	14	29.91	30.00
04	OVC	070		1.50	57	55	56	93	5	33	29.72	29.80	04	CLR	NC		6.00	BR	64	64	64	100	6	14	29.87	29.96
07	OVC	065		4.00	58	52	55	81	5	26			07	OVC	004		3.00	BR	67	67	67	100	7	18	29.89	29.97
10	BKN	019		7.00	67	31	50	26	12	30	29.74	29.83	10	BKN	008		6.00	BR	74	71	72	91	7	15	29.85	29.93
13	OVC	060		10.00	70	30	51	23	14	27	29.73	29.82	13	CLR	NC		9.00		82	72	75	72	14	21	29.80	29.89
16	SCT	NC		10.00					14	27	29.75		16	CLR	NC		10.00		83	71	75	67	12	24	29.78	29.87
19	BKN	080		10.00	67	48	57	51	12	28	29.78	29.87	19	CLR	NC		10.00		79	69	72	72	6	22	29.79	29.88
22	CLR	NC		10.00	59	50	54	72	6	28	29.82	29.91	22	BKN	031		6.00	-RA BR	76	73	74	91	7	21	29.82	29.91
SUNRISE: 0435				JUN 06				SUNSET: 1927				SUNRISE: 0434				JUN 12				SUNSET: 1930						
01	CLR	NC		10.00	55	50	52	83	5	24	29.83	29.92	01	FEW	NC		10.00		69	69	69	100	3	26	29.81	29.89
04	CLR	NC		9.00	52	50	51	93	6	25	29.86		04	CLR	NC		7.00		69	69	69	100	0	00	29.80	29.88
07	CLR	NC		10.00	62	30	47	30	7	30	29.91	30.00	07	SCT	NC		5.00	BR	71	71	71	100	6	25	29.84	29.93
10	SCT	NC		10.00	68	31	51	25	10	31	29.93	30.02	10	SCT	NC		10.00		77	72	74	85	8	21	29.87	29.96
13	BKN	047		10.00	71	56	62	59	10	29	29.94	30.02	13	CLR	NC		10.00		82	72	75	72	8	14	29.84	29.93
16	OVC	049		10.00	71	56	62	59	9	27	29.93	30.02	16	FEW	NC		7.00		83	74	77	74	8	15	29.80	29.88
19	CLR	NC		10.00	67	56	61	68	5	29	29.93	30.02	19	OVC	035		2.00	+TSRA BR	71	67	68	87	22	25	29.85	29.94
22	CLR	NC		8.00	62	59	60	90	8	15	29.95	30.04	22	BKN	060		10.00	-RA	70	70	70	100	5	13	29.82	29.91


WILMINGTON, DE JUNE TEMPERATURES



+ Extreme Max. ● Mean Max. ▲ Mean × Mean Min. ◆ Extreme Min.

Long-Term (1957-2003) Mean: 71.6 1961-1990 Normal: 71.5

WILMINGTON, DE JUNE PRECIPITATION



Long-Term (1957-2003) Mean Monthly Total: 3.60

1961-1990 Normal: 3.59



JUNE 2003
WILMINGTON, DE

LOCAL CLIMATOLOGICAL DATA

NOAA, National Climatic Data Center

I certify that this is an official publication of the National Oceanic and Atmospheric Administration (NOAA). It is compiled using information from weather observing sites operated by NOAA – National Weather Service / Department Of Transportation – Federal Aviation Administration and received at the National Climatic Data Center (NCDC), Asheville, North Carolina 28801.

DIRECTOR

NCDC now offers an annual online subscription for the **Edited Local Climatological Data Publication**. When you purchase this subscription service, you will have **immediate online access** to all previous publications back to July 1996 and all publications thereafter until the expiration of the subscription. Your subscription is valid for one year after purchase. **The total cost is \$29 for online delivery (including back issues) compared to \$34 for offline delivery.** To order this and other subscriptions online with your credit card, go to: www.ncdc.noaa.gov and choose subscriptions.

We welcome your questions or comments, please contact us at
Toll Free Number (866) 742–3322 (voice)
Fax Number :(304) 726–4409
TDD : 828–271–4010
or Email : ncdc.info@noaa.gov
Local Climatological Data is available at www.ncdc.noaa.gov

For address correction, please return a photocopy of this page to Subscription Services indicating changes

NCDC Subscription Services Center
310 State Route 956 Building 300
Rocket Center, WV 26726

OFFICIAL BUSINESS. PENALTY FOR PRIVATE USE \$300

FIRST CLASS
POSTAGE AND FEES PAID
NOAA
PERMIT G-19