













- Horton P, Ruban A. 2005. Molecular design of the photosystem II light-harvesting antenna: Photosynthesis and photoprotection. *J Expt Bot.* 56(411):365–373. <https://doi.org/10.1093/jxb/eri023>.
- Hu C, Nawrocki WJ, Croce R. 2021. Long-term adaptation of *Arabidopsis thaliana* to far-red light. *Plant Cell Environ.* 44(9):3002–3014. <https://doi.org/10.1111/pce.14032>.
- Jiang F, Shen Y, Ma C, Zhang X, Cao W, Rui Y. 2017. Effects of TiO<sub>2</sub> nanoparticles on wheat (*Triticum aestivum* L.) seedlings cultivated under super-elevated and normal CO<sub>2</sub> conditions. *PLoS One.* 12(5):e0178088. <https://doi.org/10.1371/journal.pone.0178088>.
- Johnson CM, Boles HO, Spencer LE, Poulet L, Romeyn M, Bunchek JM, Fritsche R, Massa GD, O'Rourke A, Wheeler RM. 2021. Supplemental food production with plants: A review of NASA research. *Front Astron Space Sci.* 8:734343. <https://doi.org/10.3389/fspas.2021.734343>.
- Liu J, van Iersel MW. 2022. Far-red light effects on lettuce growth and morphology in indoor production are cultivar specific. *Plants.* 11(20):2714. <https://doi.org/10.3390/plants11202714>.
- Massa GD, Dufour NF, Carver JA, Hummerick ME, Wheeler RM, Morrow RC, Smith TM. 2017. VEG-01: Veggie hardware validation testing on the International Space Station. *Open Agric.* 2(1):33–41. <https://doi.org/10.1515/opag-2017-0003>.
- McCree KJ. 1981. Photosynthetically active radiation, p 41–55. In: Lange OL, Nobel PS, Osmond CB, Ziegler H (eds). *Physiological plant ecology I: Responses to the physical environment*. Springer, New York, NY, USA. [https://doi.org/10.1007/978-3-642-68090-8\\_3](https://doi.org/10.1007/978-3-642-68090-8_3).
- Meng Q, Kelly N, Runkle ES. 2019. Substituting green or far-red radiation for blue radiation induces shade avoidance and promotes growth in lettuce and kale. *Environ Exp Bot.* 162:383–391. <https://doi.org/10.1016/j.envexpbot.2019.03.016>.
- Mickens MA, Skoog EJ, Reese LE, Barnwell PL, Spencer LE, Massa GD, Wheeler RM. 2018. A strategic approach for investigating light recipes for 'Outredgeous' red romaine lettuce using white and monochromatic LEDs. *Life Sci Space Res.* 19:53–62. <https://doi.org/10.1016/j.lssr.2018.09.003>.
- Monje O, Richards JT, Carver JA, Dimapilis DI, Levine HG, Dufour NF, Onate BG. 2020. Hardware validation of the advanced plant habitat on ISS: Canopy photosynthesis in reduced gravity. *Front Plant Sci.* 11:673. <https://doi.org/10.3389/fpls.2020.00673>.
- Nixon PJ, Michoux F, Yu J, Boehm M, Komenda J. 2010. Recent advances in understanding the assembly and repair of photosystem II. *Ann Bot.* 106(1):1–16. <https://doi.org/10.1093/aob/mcq059>.
- Norikane A, Takamura T, Morokuma M, Tanaka M. 2010. In vitro growth and single-leaf photosynthetic response of *Cymbidium* plantlets to super-elevated CO<sub>2</sub> under cold cathode fluorescent lamps. *Plant Cell Rep.* 29(3):273–283. <https://doi.org/10.1007/s00299-010-0820-1>.
- Ranasinghe S, Taylor G. 1995. Mechanism for increased leaf growth in elevated CO<sub>2</sub>. *J Expt Bot.* 47(3):349–358. <https://doi.org/10.1093/jxb/47.3.349>.
- Rogers HH, Prior SA, Runion GB, Mitchell RJ. 1995. Root to shoot ratio of crops as influenced by CO<sub>2</sub>. *Plant Soil.* 187(2):229–248. <https://doi.org/10.1007/BF00017090>.
- Sage RF, Sharkey TD, Seemann JR. 1989. Acclimation of photosynthesis to elevated CO<sub>2</sub> in five C<sub>3</sub> species. *Plant Physiol.* 89(2):590–596. <https://doi.org/10.1104/pp.89.2.590>.
- Sharkey TD, Bernacchi CJ, Farquhar GD, Singaas EL. 2007. Fitting photosynthetic carbon dioxide response curves for C<sub>3</sub> leaves. *Plant Cell Environ.* 30(9):1035–1040. <https://doi.org/10.1111/j.1365-3040.2007.01710.x>.
- Sharrock RA. 2008. The phytochrome red/far-red photoreceptor superfamily. *Genome Biol.* 9(8):1–7. <https://doi.org/10.1186/gb-2008-9-8-230>.
- Shi Y, Ke X, Yang X, Liu Y, Hou X. 2022. Plants response to light stress. *J Genet Genomics.* 49(8):735–747. <https://doi.org/10.1016/j.jgg.2022.04.017>.
- Spencer L, Wheeler R, Romeyn M, Massa G, Mickens M. 2020. Effects of supplemental far-red light on leafy green crops for space. <https://hdl.handle.net/2346/86368>. [accessed 23 Nov 2023].
- Stryjewski E, Eraso I. 2002. Paper session III-B: Characterization of potential ISS/space shuttle environmental conditions on growth and development of *R. sativus*: Ground studies for the Rasta space flight experiment. <https://commons.erau.edu/space-congress-proceedings/proceedings-2002-39th/may-2-2002/12/>. [accessed 23 Nov 2023].
- Tibbetts J. 2019. Gardening of the future: From outer to urban space: Moving from freeze-dried ice cream to fresh-picked salad greens. *Bioscience.* 69(12):962–968. <https://doi.org/10.1093/biosci/biz115>.
- van Gelderen K, Kang C, Paalman R, Keuskamp D, Hayes S, Pierik R. 2018. Far-red light detection in the shoot regulates lateral root development through the HY5 transcription factor. *Plant Cell.* 30(1):101–116. <https://doi.org/10.1105/tpc.17.00771>.
- Wang M, Dong C, Fu Y, Liu H. 2015. Growth, morphological and photosynthetic characteristics, antioxidant capacity, biomass yield and water use efficiency of *Gynura bicolor* DC exposed to super-elevated CO<sub>2</sub>. *Acta Astronaut.* 144:138–146. <https://doi.org/10.1016/j.actaastro.2015.05.010>.
- Wheeler R, Spencer L, Romeyn M, Massa G, Bunchek J. 2021. Effects of carbon dioxide concentrations on salad crops for space food production (abstr). 43<sup>rd</sup> COSPAR Scientific Assembly. F4.5-0010-21. The SAO/NASA Astrophysics Data System, Cambridge, MA, USA.
- Xu M. 2015. The optimal atmospheric CO<sub>2</sub> concentration for the growth of winter wheat (*Triticum aestivum*). *J Plant Physiol.* 184:89–97. <https://doi.org/10.1016/j.jplph.2015.07.003>.
- Zhen S, van Iersel MW. 2017. Far-red light is needed for efficient photochemistry and photosynthesis. *J Plant Physiol.* 209:115–122. <https://doi.org/10.1016/j.jplph.2016.12.004>.