

U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU

CHARLES F. MARVIN, Chief

In Cooperation with Maryland State Weather Service

CLIMATOLOGICAL DATA

MARYLAND AND DELAWARE SECTION

ROSCOE NUNN, Meteorologist and Section Director

PRICE: 5 CENTS A COPY; 50 CENTS A YEAR

VOL. XXXIV BALTIMORE, MD., FEBRUARY, 1929 No. 2

GENERAL SUMMARY

This month was nearly normal in temperature, and averaged 2.5° colder than February, 1928. Monthly precipitation, snowfall, and sunshine were above normal. Relative humidity averaged slightly below normal. Very little precipitation occurred during the second decade. Mild periods were marked by fog. Strong winds were few and not damaging. The feature of the month was the heavy snowstorm of the 21st.

Monthly mean temperatures were slightly above to 2° above normal over the eastern half of the section and slightly below to 2° below normal over the western half.

Cold weather during the last week of January continued until the 5th of this month. Other cold spells were 10-14th and 20-24th. A cold wave occurred on the 20th-21st. Mild periods were 6-9th, 15-19th, and 25-28th.

Monthly precipitation averaged one and one-fifth times the normal. It ranged from slightly below normal in the Allegheny Mountain region to twice the normal in Worcester County. Monthly totals were between 2 and 3 inches in western Maryland and between 3 and 4 inches in north-central and southern Maryland; on the Eastern Shore they increased from between 3 and 4 inches in the northwestern portion to between 6 and 7 inches in the southeastern portion, and averaged 4.60 inches.

Rainfall was heavy over the eastern half of the section on the 7th, over north-central Maryland and the Eastern Shore on the 26th, and over southern Maryland and the southern Eastern Shore on the 28th.

Monthly snowfall averaged nearly one and one-half times the normal. The totals ranged from 6 inches in the south to 14 inches in the north, except 14 to 17 inches in the Allegheny Mountain region.

A general heavy snowfall occurred on the 21st, with depths of 5 to 8 inches over the southern half of the section and 8 to 12 inches over the northern half.

The ground was snow-covered in western Maryland during the first decade and continued so in the Allegheny Mountain region to the 15th. The snowfall of the 21st mostly disappeared by the 26th.

There was considerable ice in upper Chesapeake Bay during the first decade, but it did not interfere with the movements of steam vessels as a channel was kept open by iceboats.

Winter grains were in good condition; they were mostly brown in western and north-central Maryland and showing green in southern Maryland and on the Eastern Shore. The month was favorable for outdoor operations.—J. B., jr.

PRESSURE

The monthly mean sea-level pressure at Washington was 30.12; at Baltimore and Aberdeen, 30.11 inches. The highest at Washington was 30.50 inches on the 3d; at Baltimore, 30.46, and at Aberdeen, 30.47 inches—both on the 13th. The lowest at Washington was 29.63; at Baltimore, 29.66; at Aberdeen, 29.62 inches—all on the 28th.

TEMPERATURE

The monthly mean for the section, 33.0°, is normal. The highest monthly mean was 37.8° at Salisbury; the lowest, 26.4°, at Oakland. The highest temperature, 72°, occurred at Salisbury on the 26th; the lowest, 1°, at Oakland on the 20th and 24th. The greatest local monthly range was 57° at Bell and Oakland; the least, 43°, at Coleman. The greatest daily range was 46° at Hancock on the 24th.

PRECIPITATION

The monthly average for the section, 3.69 inches, is 0.65 inch above normal. The greatest monthly amount was 6.81 inches at Public Landing; the least, 1.99 inches, at Friendsville. The greatest 24-hour amount was 1.65 inches at Millsboro on the 26-27th. The monthly average snowfall for the section, 10.7 inches, is 3.2 inches above normal. The greatest monthly snowfall was 17.1 inches at Oakland; the least, 5.8 inches, at Newburg. The number of days with 0.01 inch or more of precipitation, 9, is normal.

RELATIVE HUMIDITY

The average percentages were: Washington, D. C., 8 a. m., 79; 12 noon, 54; 8 p. m., 55. Baltimore, Md., 8 a. m., 72; 12 noon, 54; 8 p. m., 58. Aberdeen, Md., 8 a. m., 86; 4 p. m., 66. Philadelphia, Pa., 8 a. m., 75; 12 noon, 62; 8 p. m., 65.

WIND

(By 3-cup anemometer, except 4-cup at Aberdeen, Md.)

The prevailing wind direction for the section was northwest. The total movement at Washington was 3,897; at Baltimore, 5,900; at Aberdeen, 4,619 miles. The maximum velocity at Washington was 27 miles; at Aberdeen, 30 miles—both from the northwest on the 1st; at Baltimore, 33 miles from the southeast on the 26th.

SUNSHINE AND CLOUDINESS

At Washington 60 per cent of the possible sunshine was recorded; at Baltimore, 62 per cent; at Aberdeen, 59 per cent. For the whole section the average number of clear days was 13; partly cloudy, 6; cloudy, 9.

MISCELLANEOUS PHENOMENA (WITH DATES)

Fogs, dense.—North-central and southern Maryland, 9; northeastern portion of section, 15; entire section, 26, entire section, except western Maryland, 27, 28.

Frogs, first croaking of.—Newburg, 27; Princess Anne, 26.

Geese flying north.—Princess Anne, 19.

Glaze, or icestorm (rain freezing upon falling), light.—Western Maryland, 6, 7; central and eastern portions of section, 21.

Sleet, light.—Northern-border counties, 6; between Allegheny and Blue Ridge Mountains, night 19-20; southern and north-central Maryland and central and northern portions of Eastern Shore, 21.

Winds, high.—Entire section: Northwest, 1. North-central Maryland and Eastern Shore: Northwest, 2. Eastern Shore: Northeast, night 6, 21; Northwest-north, 20. Eastern portion of section: Southeast, night 26.

Climatological Data for February, 1929

Stations	Counties	Elevation, feet	Length of record, years	Temperature, in degrees Fahr.						Precipitation, in inches				Number of days				Prevailing direction of wind	Observers	
				Mean	Departure from the normal	Highest	Date	Lowest	Date	Greatest daily range	Total	Departure from the normal	Greatest in 24 hours	Total snowfall (unmelted)	With 0.01 inch or more	Clear	Partly cloudy			Cloudy
<i>Maryland</i>																				
Aberdeen	Harford	80	11	32.5	-1.3	57	18	13	23	30	3.21	+0.57	0.86	8.5	8	12	5	11	nw.	U. S. Army.
Annapolis	Anne Arundel	45	64	34.2	-0.6	59	18	16	14	28	3.48	+0.05	1.17	9.5	9	13	5	10	nw.	Louis E. Foster.
Baltimore*		115	59	35.2	+0.2	63	19	19	2	27	3.45	+0.06	1.11	11.5	8	13	6	9	nw.	U. S. Weather Bureau.
Bell††	Prince Georges	151	9	31.2	-2.3	60	18	3	22	42	3.26	-0.01	1.25	8.5	8	14	4	10	nw.	Bureau Plant Industry.
Boys	Montgomery	424	10	31.8	-2.3	61	18	6	4	42	3.08	0.00	0.90	10.0	7	13	6	9	nw.	Thomas B. Daymude.
Cambridge (near)	Dorchester	25	36	37.0	+1.6	66	17	5	32	4.60	+1.04	1.40	6.5	10	14	5	9	nw.	Matt Harding.	
Cecilton	Cecil	85	11	34.0	-1.4	59	18	11	24	37	3.63	+0.30	1.20	12.5	9	13	5	10	nw.	Wm. F. Coak.
Cheltenham	Prince Georges	230	29	35.1	+0.5	64	19	13	14	42	3.42	+0.62	1.06	7.0	9	15	4	9	nw.	Geo. Hartnell.
Chesapeake	Washington	530	32	29.7	-0.6	58	18	5	4	37	2.64	+0.29	0.95	14.0	7	15	5	8	w.	D. Paul Oswald.
Clear Spring	do	600	32	30.8	+2.3	61	18	8	14	38	3.52	+0.77	1.02	14.0	7	16	5	7	w.	Mrs. Leo. A. Cohill.
Coleman††	Kent	80	32	34.2	+1.0	60	18	17	12	31	3.04	-0.03	1.00	10.5	9	15	4	9	nw.	Walter B. Harris.
College Park	Prince Georges	87	43	33.6	-0.6	63	19	8	22	41	3.25	+0.08	1.03	7.8	8	14	4	10	nw.	Prof. Thos. H. White.
Crisfield	Somerset	5	10																nw.	A. B. Cochran.
Cumberland	Allegany	623	57	31.0	-1.9	59	27	10	4	39	2.68	+0.15	0.80	12.5	9	12	7	9	Harvey H. Weiss.
Darlington	Harford	300	39	31.4	+0.6	60	18	4	23	40	3.90	+0.67	1.05	11.5	9	14	4	10	nw.	Fred. C. Jones.
Easton	Talbot	35	39	34.4	-0.2	67	26	14	15	33	4.04	+0.93	1.23	7.0	10	14	4	10	nw.	Clement E. Bray.
Elkton	Cecil	28	3	32.6		58	28	7	24	41	3.38		0.90	9.3	9	16	4	8	nw.	H. W. Bouchelle.
Emmitsburg	Frederick	720	61	31.6	-0.3	58	18	11	5	28	3.12	-0.03	1.00	12.5	6	14	4	10	w.	Mt. St. Mary's College.
Fallston††	Harford	460	60	32.3	+0.6	59	18	11	23	34	3.80	+0.18	1.14	12.5	9	14	5	9	nw.	Miss Dora Curtiss.
Ferry Landing††	Calvert	110	13	34.8	-2.2	64	19	12	5	42	3.64	+0.86	1.01	6.5	9	13	5	10	nw.	Thos. J. Bourne.
Frederick	Frederick	275	55	32.6	-0.3	59	18	10	24	34	3.56	+0.61	1.11	13.8	6	14	4	10	nw.	Chas. S. Birely.
Friendsville	Garrett	1,501	11	27.7	-4.3	59	27	3	20	34	1.99	-1.15	0.40	14.0	9	5	12	11	w.	Joab J. Friend.
Frostburg	Allegany	1,929	28	27.7	-2.2	51	19	3	4	33	3.03	+0.35	0.89	16.0	8	11	9	8	w.	T. F. Lewis.
Grantsville	Garrett	2,351	36																C. S. Zeller.
Great Falls††	Montgomery	200	40	32.0	-0.5	61	18	7	5	40	3.17	+0.49	1.15	10.2	8	13	5	10	nw.	Chas. R. Sullivan.
Hancock (Tonoloway)	Washington	455	19	30.7	+0.3	58	18	3	4	46	2.76	+0.60	0.80	12.1	7	14	6	8	American Fruit Growers.
Keedysville	do	400	25	31.5	-0.8	61	18	6	4	41	2.74	+0.19	0.94	12.1	7	15	5	8	n.	J. A. Miller.
Laurel	Prince Georges	320	35	33.0	+0.4	61	18	14	23	35	2.87	-0.07	0.95	8.5	8	14	4	10	Evan G. Chaney.
Lutherville	Baltimore	340	3	31.5		61	18	5	23	33	3.62		1.12	12.5	9	14	4	10	nw.	August W. Clark, P. M.
Maryland Line	do	840	5	30.9		57	18	10	23	30	3.59		1.20	13.5	7	14	6	8	w.	Chester L. Fulton.
Mechanicsville	St. Marys	165	3								4.27		1.30	12.0	9	14	4	10	nw.	Zach. S. Graves.
Millington	Kent	27	32	34.0	+0.7	60	18	7	24	38	4.15	+0.90	1.18	11.0	9	13	5	10	nw.	Henry L. Higman.
Newburg	Charles	110	4	36.2		64	19	13	5	42	3.52		0.99	5.8	8	14	4	10	nw.	John P. Burdette.
Oakland	Garrett	2,461	30	26.4	-1.0	58	26	1	120	43	2.78	-0.56	0.62	17.1	11	5	12	11	w.	R. E. Weber.
Picardy	Allegany	900	3	30.4		56	27	6	4	36	2.66		0.80	9.7	7	14	6	8	w.	D. E. Catlett.
Pleasant Hill††	Baltimore	660	5								3.75		1.20	13.5	7	14	4	10	nw.	J. E. Henry.
Pocomoke City	Worcester	37	24								5.51	+2.04	1.39	11.5	9	12	5	11	Wm. H. Dryden.
Princess Anne	Somerset	17	54	36.4	-0.5	71	26	16	15	31	6.01	+2.57	1.61	7.0	12	11	9	8	nw.	James R. Stewart.
Public Landing††	Worcester	10	14	36.4	-0.3	66	26	15	12	32	6.31	+3.71	8.5	11	11	6	11	nw.	Louis C. de Guibert.
Ridgely	Caroline	57	8	35.3	+1.2	65	26	14	24	32	3.88	+0.85	1.05	8.0	9	14	4	10	nw.	Albert White.
Rock Hall	Kent	25	15	34.1	+0.6	68	18	12	24	36	3.56	+0.32	1.20	13.0	9	13	5	10	nw.	Charles Judefind.
Salisbury	Wicomico	23	24	37.8	+0.6	72	26	16	3	33	5.35	+2.27	1.15	13.0	13	13	7	8	nw.	Homestead Dairy Farms.
Sines (Deep Creek)	Garrett	2,040	2	28.0		52	26	8	24	34	2.36		0.60	15.1	14	4	13	11	w.	C. E. Mac Murray.
Solomons	Calvert	20	38	35.6	+0.2	61	19	17	2	27	3.78	+0.82	1.10	7.2	10	12	6	10	nw.	Dr. W. H. Marsh.
State Sanatorium	Frederick	1,460	21	29.8	-0.6	56	18	10	12	32	3.05	+0.21	1.10	13.3	7	14	4	10	Dr. V. F. Cullen.
Stevensville	Queen Annes	12	3	34.5							3.90		1.05	9.2	9	13	5	10	T. R. Price.
Takoma	Montgomery	320	31	33.8	+1.6	62	18	16	12	30	3.21	+0.29	1.01	9.5	9	13	6	9	L. M. Mooers.
Towson	Baltimore	465	17								3.71	+1.11	1.14	12.0	9	13	6	9	Metropolitan District.
Western Port	Allegany	1,000	36	31.9	+0.5	59	27	10	4	38	3.35	+1.14	1.00	16.5	8	Norris Bruce.
Westminster	Carroll	770	20	32.1	+0.7	59	18	5	24	40	3.58	+0.48	1.00	11.5	7	14	4	10	Prof. S. P. Caltrider.
Woodstock	Baltimore	415	59	30.8	-2.2	69	18	6	24	43	3.85	+0.74	1.25	11.5	7	15	4	9	nw.	Woodstock College.
<i>Dist. of Columbia</i>																				
Washington**		112	59	35.1	-0.2	64	19	17	2	32	3.19	-0.08	1.16	7.6	9	13	6	9	nw.	U. S. Weather Bureau.
<i>Delaware</i>																				
Bridgeville	Sussex	45	-6	35.8	+1.1	70	26	11	5	36	4.66	+1.27	1.01	7.8	11	13	8	7	nw.	George Ray.
Delaware City	New Castle	12	43	33.7	0.0	59	18	12	23	33	3.73	+1.09	1.05	9.0	9	13	6	9	nw.	N. W. Wilkinson.
Dover	Kent	34	40	33.3	+0.1	63	26	13	24	38	5.22	+1.94	1.23	9.0	9	13	6	9	nw.	Arthur G. Livingston.
Millford	Sussex	20	47	35.4	+0.2	63	26	11	5	38	4.25	+0.69	1.03	7.5	10	13	9	6	nw.	Chas. J. Holzmuller.
Millboro	do	20	37	36.8	+1.9	71	26	12	5	38	5.70	+2.17	1.65	8.9	12	10	11	7	nw.	Rev. M. P. S. Huntington.
Wilmington	New Castle	86	36	32.7	+0.4	57	18	12	23	39	4.33	+1.05	1.40	8.7	9	13	6	9	nw.	Street and Water Depts.
<i>Means and extremes:</i>																				
For Maryland and District of Columbia				32.7	-0.1	72	26	1	120	46	3.57	+0.58	1.61	11.0	9	13	6	9	nw.	
For Delaware				35.0	+0.7	71	26	11	5	39	4.65	+1.37	1.65	8.5	10	12	8	8	nw.	
For entire section				33.0	0.0	72	26	1	120	46	3.69	+0.65	1.65	10.7	9	13	6	9	nw.	

The departures from normal temperature and precipitation are computed only for such stations as have 10 or more years of record, but all complete reports are used in determining section or division means. Data in italics determined from surrounding sections. † Precipitation is less than 0.01 inch rain or melted snow. Reference letters, a, b, c, appearing in the table indicate number of days missing: For example, b represents two days, etc. †† Post office addresses of these stations are as follows: Of Bell, Glendale; of Coleman, Wornton; of Fallston, Bagley; of Ferry Landing, Owings; of Great Falls, Bethesda; of Pleasant Hill, Owings Mills; of Public Landing, Snow Hill. †Also on other dates. *Custom House, Gay and Water Streets. **Weather Bureau Building, 24th and M Streets.

Daily Precipitation for February, 1929

Stations	Watersheds	Day of month																														Total				
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		31			
<i>Maryland</i>																																				
Aberdeen**	Atlantic					T.	.43	.35		.30											.04	.84					.02	.84			.39			3.21		
Annapolis	do	T.					* 1.17			.19	.09										.05	.90						.45	.10	.53			3.48			
Baltimore***	do						.78	.26		.13																	.02	.76			.35			3.45		
Bell	do	T.				T.	.09	.82		.17	T.										.05	.25						.34	.08	.46			3.26			
Boys	do						.28	.71		T.											.10	.90						.70	.07	.32			3.08			
Cambridge (near)	do					T.	* 1.12			.08	.30	T.									.05	.80						* 1.40	.80			4.60				
Cecilton	do	T.					.04	.77		.07	.27										.05	1.20						.80	.10	.33			3.63			
Cheltenham	do	T.					.13	.93		.17	T.										.10	.95						.22	.22	.66			3.42			
Chewsville	do		T.				.15	.20	.43		T.										.10	.95						.50	T.	.31			2.64			
Clear Spring	do		T.				*	.30	.34		T.										.37	1.01						1.02	T.	.48			3.52			
Coleman	do	T.					*	* 71		.15	.12										.05	1.00						.54	.12	.85			3.04			
College Park	do	T.					.18	.85			.11										.08	1.00						.43	.10	.50			3.25			
Crisfield	do																																	2.68		
Cumberland	do	.04		T.			.13	.56	.20		T.										.05	.80	T.	T.				.40	.07	.43			3.90			
Darlington	do	T.					.14	.99		.20	.05										.10	1.00						.70	.08	.60			4.04			
Easton	do	T.					.02	1.11		.30	.10	T.									.20	.90		T.				.90	.03	.33			3.38			
Elkton	do	T.					.04	.96		.32	.08										.07	1.00						.80	T.	.35			3.12			
Emmitsburg	do	T.					T.	.04	.68		T.										.07	1.00						.80	.08	.42			3.80			
Fallston	do	T.					.07	1.05		.12	.02										.05	.90						.80	.10	.82			3.64			
Ferry Landing	do	T.					.10	.91		.21	T.										.10	1.14						.95	T.	.67			3.56			
Frederick	do	T.					.18	.55		T.	T.										.30	.40	T.	T.				.36	T.	.18			1.99			
Friessville	Ohio	.10	T.				.05	.28	.20	T.	T.										.26	.89	T.	T.				.50	T.	.40			3.03			
Frostburg	Atlantic	.04	T.				.05	.27	.62	T.	T.																							2.68		
Grantsville	Ohio																																	2.68		
Great Falls	Atlantic	T.					.15	1.00			T.										.07	.90	.05					.28	.32	.40			3.17			
Hancock (Tonoloway)	do		T.				.06	.37	.29		T.										.35	.80						.41	T.	.48			2.76			
Keedysville	do		T.				.01	.26	.44		T.										.05	.94						.64	T.	.40			2.74			
Laurel	do	T.					.15	.76		.10											.05	.96						.45	.04	.37			2.87			
Lutherville	do	T.					.08	1.01		.05	.01										.10	1.12						.72	.11	.42			3.62			
Maryland Line	do						.32	.57		T.	T.										.20	1.20						.85	*	.55			3.59			
Mechanicsville	do						.06	.79		.28	T.										.10	1.30						*	.72	.97			4.27			
Millington	do	T.					.02	1.18		.14	.20										.10	1.10						.84	.12	.46			4.15			
Newburg	do	T.					.05	.69		.21	T.										.10	.90						.55	T.	.99			3.52			
Oakland	Ohio	.06	T.				.04	.23	.47	T.	.03	T.									.28	.52	.03	T.				.55	T.	.20			2.76			
Picardy	Atlantic		T.				.02	.37	.40	T.	T.										.14	.80	T.	T.				.45	T.	.48			2.66			
Pleasant Hill	do						.20	.72		T.	T.										.10	1.20						.85	.08	.60			3.75			
Pocomoke City	do	.20					T.	.32		.10	.40	T.									.35	1.15		T.				.35	1.04	.30			5.51			
Princess Anne	do	.10					.39	.19		.39	.08	T.									.10	1.21		T.				1.56	.05	1.42			6.01			
Public Landing	do	.05					.19	1.06		.17	.26	T.									.10	1.00		T.				1.00	*	2.00			6.81			
Ridgely	do	T.					* 1.05			.02	.53	T.									.08	.72		T.				.52	.42	.54			3.88			
Rock Hall	do	T.					.09	.68		.25	.09										.10	1.20		T.				.55	.09	.51			3.56			
Salisbury	do	.20					.10	1.05		.20	.35	T.									.02	.75		T.				1.05	.05	1.15			5.35			
Sines**	Ohio	.10	.02				.05	.42	T.	.01	T.	T.									.15	.38	.02	.02				.26	.04	.20			2.36			
Solomons	Atlantic	T.					.03	.55		.07	.42	T.									.02	1.10						.48	.09	.93			3.78			
State Sanatorium	do		T.				.03	.30	.60		T.										.09	1.10						.57	T.	.36			3.05			
Stevensville	do	T.					.02	1.03		.30	.10	T.									.10	.90		T.				* .90	.05	.50			3.90			
Takoma	do	T.					.12	.89			.05										.05	.85	.05					.60	.60			3.21				
Towson	do	T.					.12	1.02		.08	.02										.04	1.10						.80	.12	.41			3.71			
Western Port	do	T.					.05	.40	.60		T.	T.									.20	1.00	T.	T.				.55	T.	.50			3.35			
Westminster	do	T.					.24	.64		T.	T.										.10	1.00						.92	.05	.63			3.58			
Woodstock	do						.40	.85		T.											.10	1.00						.80	*	.70			3.85			
<i>District of Columbia</i>																																				
Washington***	Atlantic					T.	1.02	.16		.06																		.09	.95			.02	.33	.02	.54	3.19
<i>Delaware</i>																																				
Bridgeville	Atlantic	T.					.03	1.01		.11	.73	T.									.10	.80						.90	.08	.75			4.66			
Delaware City	do						.02	1.05		.14	.16										.10	.90						.94	.07	.35			3.73			
Dover	do	T.					.08	1.71		* .63											.10	.90		T.				* 1.23	.57			5.22				
Millford	do	T.					.03	.99		.11	.53	T.									.04	.73		T.				.83	.20	.73			4.25			
Millsboro	do	T.					.02	.47		.14	.60	T.									.03	1.10		.05				1.33	.32	1.28			5.70			
Wilmington	do	T.					.02	1.20		.28	.10										.05	.90						1.30	.10	.38			4.33			

Except as otherwise indicated, observations are generally made late in afternoon, near sunset, and precipitation recorded is for the 24 hours ending at time of observation.
 **Regular Weather Bureau station; precipitation is for the 24-hour period, midnight to midnight. **Precipitation is for 24-hour period, midnight to midnight.
 ***Precipitation measured in the morning; amount then recorded is for the preceding 24 hours. *Precipitation included in the next following measurement.
 T. Trace, or less than 0.01 inch. Data in italics determined from surrounding stations.

COMPARATIVE DATA FOR MARYLAND AND DELAWARE FOR FEBRUARY

Year	Temperature					Precipitation					Year	Temperature					Precipitation						
	Mean	Departure from the normal	Highest	Lowest	Average	Departure from the normal	Greatest local	Least local	Greatest in 24 hours	Snowfall		Number of days with .001 inch or more	Mean	Departure from the normal	Highest	Lowest	Average	Departure from the normal	Greatest local	Least local	Greatest in 24 hours	Snowfall	Number of days with .001 inch or more
1895	24.5	-8.5	67	-18	1.26	-1.78	2.14	0.89	1.15	11.1	5	1913	34.4	+1.4	73	0	1.49	-1.55	2.59	0.61	1.20	2.1	7
1896	34.6	+1.6	66	-12	5.41	+2.37	7.48	2.40	3.80	2.9	9	1914	28.7	-4.3	68	-28	2.78	-0.26	4.23	1.78	1.35	14.1	8
1897	34.3	+1.3	63	0	5.43	+2.39	9.17	3.															

Daily Temperatures for February, 1929

Table with columns for Stations, days 1-31, and Mean. Rows list various Maryland and Delaware locations such as Annapolis, Baltimore, and Dover, with their respective maximum and minimum temperatures for each day.

a, b, c, etc., indicate, respectively, 1, 2, 3, etc., days missing from record. § Instruments are read in morning; maximum temperature then read is charged to preceding day. In which it almost always occurs. Temperatures at Aberdeen, Baltimore, and Washington are from midnight to midnight; other stations, except Cumberland, are for 24-hour period ending late in afternoon, near sunset. Data in italics determined from surrounding stations. (WB-3-29-29-820)